

# LOTS OF COMPANIES SELL PRODUCTS... TRIANGULAR WAVE TECHNOLOGIES HAS THE SOLUTION!

# TWT<sup>®</sup> Products & Systems (P.O.E. / P.O.U.) Index

<b>Patented Deposit Control Technology</b>	<b>Page</b>
Deposit Control System	2-6
Copper Pipe Signal Enhancer	7
Reaction Chambers	8-11
HydroBlend	11
<b>Integrated Water Treatment &amp; Conditioning S</b>	ystems
ByPass Treatment systems	12
Bacterial Reduction Systems	13
MD & DP Series Integrated Water Treatment Systems	14-17
Solar Powered Systems	18
Point-of-Use Water Treatment & Conditioning System	18
Total Water Control System	19
High Volume Ultraviolet Systems	20
Ultravoilet Transportable Systems	35
Ionization	
IonGuard Purification Products & System	21-22
Ultraviolet Technology	
Ultraviolet Purifiers Poducts & Systems	23-31
Ozone	
Ozone Products & Systems	34
Filtration	
Filtration Systems	31-34
Filtration Products	
Iron Removal Systems	45

#### TWT DEPOSIT CONTROL SYSTEMS

ITEM NUMBER & CASE PRODUCT DESCRIPTION: PACK

TWT-5C8-470\*

Residential (Pipes up to 3/4" or less) 2



#### TWT-5C8-472\*

Residential/Light Commercial (Pipes up to 1" or less) 2



#### TWT-5C8-473

Residential/Commercial ( Pipes up to 1" or less )



#### TWT-5C8-401

Commercial/Industrial ( Pipes up to 1 1/2" or less )



#### TWT-5C8-402

Industrial ( Pipes up to 2" or less )



Current Source: 110/20 VAC – other voltage source available upon request Custom Orders: 12", 14", and larger sized units are available upon request

• 9V Transformer

#### TWT DEPOSIT CONTROL SYSTEMS

ITEM NUMBER & CASE PRODUCT DESCRIPTION: PACK

TWT-5C8-403

Industrial ( Pipes up to 3" or less )



TWT-5C8-404

Industrial ( Pipes up to 4" or less )



TWT-5C8-406

Industrial ( Pipes up to 6" or less )



TWT-5C8-408

Industrial ( Pipes up to 8" or less ) 1



TWT-5C8-410

Industrial ( Pipes up to 10" or less )



Quote: Order based on price of material at time of purchase

Current Source: 110/20 VAC – other voltage source available upon request Custom Orders: 12", 14", and larger sized units are available upon request

#### BATTERY POWERED TWT-163-12VDC DEPOSIT CONTROL SYSTEM

ITEM NUMBER & CASE PRODUCT DESCRIPTION: PACK

TWT-163-12VDC

Residential/Commercial ( Pipes up to 1" or less )

Quote: Order based on price of material at time of purchase

**Custom Orders:** 

Larger pipe size applications available upon request



#### FACTORY ASSEMBLED & BOARD MOUNTED DEPOSIT CONTROL SYSTEMS

#### TWT-470-CSEFA

Factory Assembled, Board Mounted Deposit Controller 3 and Copper Pipe Signal Enhancer for pipes up to 3/4" (9V Transformer)



#### TWT-472-CSEFA

Factory Assembled, Board Mounted Deposit Controller 3 and Copper Pipe Signal Enhancer for pipes up to 1" (9V Transformer)



#### TWT-473-CSEFA

Factory Assembled, Board Mounted Deposit Controller and Copper Pipe Signal Enhancer for pipes up to 1"

Quote: Order based on price of material at time of purchase



#### **DEPOSIT CONTROLLER SYSTEM with REACTION CHAMBER**

# ITEM NUMBER & PRODUCT DESCRIPTION:

#### CASE/PACK


#### **TWT-5C8-460-FGRC**

Residential/Light Commercial Deposit Control System with food grade PVC Reaction Chamber for Water-Fed Appliances (For pipes 1/2" or less)



1

1



#### TWT-5C8-472-FGRC

Residential/Light Commercial Deposit Control System with food grade PVC Reaction Chamber for Water-Fed Appliances (For pipes 3/4" or less)



#### **TWT-5C8-473-APVC**

Residential/Light Commercial Deposit Control System with PVC Reaction Chamber for Water-Fed Appliances (For pipes 1" or less)



#### TWT-5C8-473-ST

Residential/Commercial Deposit Control System with Stainless Steel Reaction Chamber for Water-Fed Appliances (For pipes 1" or less)







#### ACCESSORIES for DEPOSIT CONTROL SYSTEMS

ITEM NUMBER & PRODUCT DESC		CASE/PACK
TWT-WS-55	55 feet Wire Spool	6
TWT-WS-125	125 feet Wire Spool	6
TWT-WST-55	55 feet Wire Spool-Teflon Coated	6
TWT-WST-125	125 feet Wire Spool-Teflon Coated	6
TWT-PT-10	Set of 10 Plastic Ties	6
TWT-8449-25	Flex Tubing–25 ft.	1
TWT-8449-50	Flex Tubing–50 ft.	1
TWT-8449-100	Flex Tubing-100 ft.	1
TWT-LP-70F	CSE Black Box (to mount & enclose a CSE unit)	6
TWT-8398 (2 pk)	Connectors for Flex Tubing/Black Box (above) Qty 2 for each CSE unit	6
тwт-нтк	Hardness Test Kit	2
TWT-05SOV	1/2" Commercial/Industrial Manual Shutoff Valve (need two valves per system)	6
TWT-75SOV	3/4" Commercial/Industrial Manual Shutoff Valve (need two valves per system)	6

# DEPOSIT CONTROL SYSTEM INSTALLATION ACCESSORIES

Quote: Order based on price of material at time of purchase

Kits for larger copper pipe diameters available upon request: #18/20 awg wire for onsite solenoid installation packaged and shipped with all TWT deposit Controllers. For high temperature applications of 176°F and above request from your distributor or TWT teflon wire.

#### **Copper Pipe Signal Enhancer** – For Copper Pipe Applications Only

ITEM NUMBER & PRODUCT DESCRIPTION:	CASE PACK	
TWT-CSE-0227 Designed for Copper Pipes 2" or Less in Diameter	2	A STATE OF THE STA
TWT-CSE-0229 Designed for Copper Pipes 4" or Less in Diameter	2	The state of the s
TWT-CSE-0227K KIT DESCRIPTION & COMPONENTS For installation of copper pipes up to 2" only	1	
<b>1-</b> 1 CSE black housing box with pre-mounted CSE unit, and 4 pre-drilled 1/2" holes for easy assembly and installation. CSE kit may be mounted vertically or horizontally. Box dimensions: 5.5"W x 4.25"H x 1.75"D		
2- 4 connectors for CSE housing box, controller and solenoid connections		

1

2

# **6-** 1 extra 55' extra spool of wire

solenoid connection

TWT-CSE-27LP70M

Copper Pipe Signal Enhancer Housing & Unit 2

Components #1 and #3 above only

# TWT-CSE-0229K KIT DESCRIPTION & COMPONENTS

#### For installation of copper pipes up to 4" only

3- 2 plastic hole plugs (cover remaining holes)4- 1 15' length of flex tubing for connection from

**5-** 1 10' length of flex tubing from housing box to onsite

housing box to deposit controller

- **1-** 1 CSE black housing box with pre-mounted CSE unit, and 4 pre-drilled 1/2" holes for easy assembly and installation. CSE kit may be mounted vertically or horizontally. Box dimensions: 6.1"W x 4.6"H x 2.4"D
- **2-** 4 connectors for CSE housing box, controller and solenoid connections
- **3-** 2 plastic hole plugs (cover remining holes)
- **4-** 1 15' length of flex tubing for connection from housing box to deposit controller
- **5-** 1 10' length of flex tubing from housing box to onsite solenoid connection
- 6- 1 extra 55' extra spool of wire

#### TWT-CSE-29LP70M

Copper Pipe Signal Enhancer Housing & Unit
Components #1 and #3 above only

Quote: Order based on price of material at time of purchase

#### PVC REACTION CHAMBERS Factory Wrapped Wire Coil (Solenoid) Reaction Chambers

J 11	<u> </u>	
ITEM NUMBER & PRODUCT DESCRIPTION:	CASE/PACK	
TWT-RC-05 1/2" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
TWT-RC-75 3/4" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
TWT-RC-1 1" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
TWT-RC-1.5 1 1/2" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
TWT-RC-2 2" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
TWT-RC-3 3" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
TWT-RC-4 4" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
TWT-RC-6 6" Factory Wrapped <i>PVC</i> Reaction Chamber1	1	
TWT-RC-8 8" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
PVC indicates Schedule 40 Construction Material		
TWT-RC-05-80 1/2" Factory Wrapped <i>PVC</i> Reaction Chamber	1	41
TWT-RC-75-80 3/4" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
TWT-RC-1-80 1" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
TWT-RC-1.5-80 1 1/2" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
TWT-RC-2-80 2" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
TWT-RC-3-80 3" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
TWT-RC-4-80 4" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
TWT-RC-6-80 6" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
TWTRC-8-80 8" Factory Wrapped <i>PVC</i> Reaction Chamber	1	
PVC indicates Schedule 80 Construction Material		

Note:Larger size reaction chambers and material available upon request

Quote: Order based on price of material at time of purchase

<sup>\*</sup> Factory wrapped and assembled with two head connectors, conduit and wire ready for each installation.



#### **INDUSTRIAL PVC REACTION CHAMBERS\***

ITEM NUMBER & PRODUCT DESCRIPTION:	CASE PACK
<b>TWT-IRC-75</b> 3/4" Factory Wrapped Industrial <i>PVC</i> Reaction Chamber	1
TWT-IRC-01 1" Factory Wrapped Industrial <i>PVC</i> Reaction Chamber	1
<b>TWT-IRC-1.5</b> 1 1/2" Factory Wrapped Industrial <b>PVC</b> Reaction Chamber	1
TWT-IRC-02 2" Factory Wrapped Industrial <i>PVC</i> Reaction Chamber	1
TWT-IRC-03 3" Factory Wrapped Industrial <i>PVC</i> Reaction Chamber	1
TWT-IRC-04 4" Factory Wrapped industrial <i>PVC</i> Reaction Chamber	1
TWT-IRC-06 6" Factory Wrapped Industrial <i>PVC</i> Reaction Chamber	1
TWT-IRC-08 8" Factory Wrapped Industrial <i>PVC</i> Reaction Chamber	1
PVC indicates Schedule 40 Construction Material	C ALL SOCIONAL DE LA CONTRACTOR DE LA CO
DUSTRIAL PVC REACTION CHAMBERS*	
<b>TWT-IRC-75-80</b> 3/4" Factory Wrapped Industrial <i>PVC</i> Reaction Chamber	1
TWT-IRC-1-80 1" Factory Wrapped Industrial <i>PVC</i> Reaction Chamber	1
TWT-IRC-1.5-80 1 1/2" Factory Wrapped Industrial <i>PVC</i> Reaction Chamber	1
TWT-IRC-2-80 2" Factory Wrapped Industrial <i>PVC</i> Reaction Chamber	1
TWT-IRC-3-80 3" Factory Wrapped Industrial <i>PVC</i> Reaction Chamber	1
TWT-IRC-4-80 4" Factory Wrapped Industrial <i>PVC</i> Reaction Chamber	1
TWT-IRC-6-80 6" Factory Wrapped Industrial <i>PVC</i> Reaction Chamber	1
TWT-IRC-8-80 8" Factory Wrapped Industrial <i>PVC</i> Reaction Chamber	1
PVC indicates Schedule 80 Construction Material	

Note: Larger size reaction chambers and material available upon request

Quote: Order based on price of material at time of purchase

<sup>\*</sup> Factory wrapped and assembled with two head connectors, conduit and wire ready for each installation.

#### **STAINLESS STEEL REACTION CHAMBERS\***

ITEM NUMBER & PRODUCT DESCRIPTION:	CASE/PACK	
TWT-SRC-05 1/2" Factory Wrapped St/St Reaction Chamber	1	CER.
TWT-SRC-75 3/4" Factory Wrapped <i>St/St</i> Reaction Chamber	1	
TWT-SRC-1 1" Factory Wrapped St/St Reaction Chamber	1	
TWT-SRC-1.5 1 1/2" Factory Wrapped <i>St/St</i> Reaction Chamber	1	
TWT-SRC-2 2" Factory Wrapped St/St Reaction Chamber	1	43-43-43
TWT-SRC-3 3" Factory Wrapped <i>St/St</i> Reaction Chamber	1	
TWT-SRC-4 4" Factory Wrapped St/St Reaction Chamber	1	
TWT-SRC-6 6" Factory Wrapped St/St Reaction Chamber	1	
TWT-SRC-8 8" Factory Wrapped St/St Reaction Chamber	1	

#### INDUSTRIAL STAINLESS STEEL REACTION CHAMBERS\*

TWT-ISRC-75 3/4" Factory Wrapped Industrial <i>St/St</i> Reaction Chamber	1	
TWT-ISRC-1 1" Factory Wrapped Industrial <i>St/St</i> Reaction Chamber	1	
TWT-ISRC-1.5 1 1/2" Factory Wrapped Industrial <i>St/St</i> Reaction Chamber	1	
TWT-ISRC-2 2" Factory Wrapped Industrial <i>St/St</i> Reaction Chamber	1	
TWT-ISRC-3 3" Factory Wrapped Industrial <i>St/St</i> Reaction Chamber	1	
TWT-ISRC-4 4" Factory Wrapped Industrial <i>St/St</i> Reaction Chamber	1	
TWT-ISRC-6 6" Factory Wrapped Industrial <i>St/St</i> Reaction Chamber1	1	
<b>TWT-ISRC-8</b> 8" Factory Wrapped Industrial <i>St/St</i> Reaction Chamber	1	

ST/St indicates Stainless Steel Construction Material

Note:Larger size reaction chambers and material available upon request

Contractors, Dealers, distributors, Wholesalers Price List Available Upon Request Resale and/or tax ID Number Required All quotes and/or price list request must be submitted via fax or email ON THIS SURFACE

<sup>\*</sup> Factory wrapped and assembled with two head connectors, conduit and wire ready for each installation. **Quote:** Order based on price of material at time of purchase



#### STAINLESS STEEL REACTION CHAMBER/HOT WATER/BOILER APPLICATION

ITEM NUMBER & PRODUCT DESCRIPTION:	CASE/PACK
TWT-SRCF-2-0247 2" Factory Wrapped St/St Pipe Solenoid Flow through Mesh Filter System	1
TWT-SRCF-4-0249 4" Factory Wrapped St/St Pipe Solenoid Flow through Mesh Filter System	1
ST/St indicates Stainless Steel Construction Material Note: Larger size reaction chambers and material available up * Factory wrapped and assembled with two head connectors, ready for each installation	




### **HydroBlend™ PRODUCT LINE**

Quote: Order based on price of material at time of purchase

#### View and/or Download Section A-4 of Catalog (home page) for Additional Technical Information

TWT-SC-605 Cold Water (feeder) Housing (3/4" line)	1	
TWT-RSC-5-HW HydroBlend Replacement Cartridge	1	
TWT-610-CW Cold Water (feeder) Housing (3/4" line)	1	
TWT-610-HW Hot Water (feeder) Housing (3/4" line)	1	
TWT-RSC-10-HW HydroBlend Replacement Cartridge	1	
TWT-SC-1.0		





All HydroBlend feeder housings include ball valves, stainless steel mounting bracket and HydroBlend cartridge

Quote: Order based on price of material at time of purchase

1

#### View and/or Download Section A-8 of Catalog (home page) for Additional Technical Information

#### **TWT BYPASS TREATMENT SYSTEMS** (custom quote only)

ITEM NUMBER & PRODUCT DESCRIPTION:	CASE/PACK
TWT-BP-RC-1A Factory assembled 1-inch pipe solenoid with Deposit /Ionization Control Unit and recirculating pump for use with recirculating water systems Designed to treat up to 1,650 gallons per hour This unit Wall Mounts [w/Ionization]	1
TWT-BP-RC-1B Factory assembled 1-inch pipe solenoid with separate Deposit Control and separate Ionization Unit and recirculating pump for use with recirculating water systems. Designed to treat up to 1,650 gallons per hour	1
This unit Wall Mounts [w/lonization]	

#### TWT-BP-RC-1C

Factory assembled 1-inch pipe solenoid with separate Deposit Control and separate Ionization Unit for use with recirculating water systems Designed to treat up to 1,650 gallons per hour.

This unit Wall Mounts [w/lonization]



TWT-BP-RC-2 Factory assembled 2-inch pipe solenoid and recirculating pump for use with recirculating water systems. Designed to treat up to 4,800 gallons per hour	1	
This unit is Floor Mounted [w/lonization]		
TWT-BP-RC-4*		
Factory assembled 4-inch pipe solenoid and recirculating pump for use with recirculating water systems. Designed to treat up to	1	
This unit is Floor Mounted		

#### TWT-BP-RC-6\*

Factory assembled 6-inch pipe solenoid and recirculating pump for use with recirculating water systems. Designed to treat up to 43,000 gallons per hour

This unit is Floor Mounted

\*Custom System Quote:Industry specific fluid treatment needs and up grades Custom Installation:Pricing to be established based upon proposal submitted at time of sale based on materials cost at time of purchase

*Note:* Above systems are fully integrated and factory assembled and mounted, offering end to end fluid management and treatment solutions

Quote: Order based on price of material at time of purchase



#### TWT BRS-BACTERIAL REDUCTION SYSTEMS

**ITEM NUMBER &** PRODUCT DESCRIPTION: CASE/PACK

#### TWT-BRS-1

TWT-BRS/1 Central System for Multiple Injector Applications (Refrigerated)

1

1

1

• Filtration • Deposit Control Technology • Ozone & UV Disinfection/Purification

(System Treatment Up To 3000 GPH)



#### **TWT-BRS-2**

TWT-BRS/2 Central System for Multiple Injection Lines

- Filtration Deposit Control Technology
- UV Disinfection & Purification

(System Treatment Up To 1500 GPH)



#### **TWT-BRS-3**

TWT-BRS/3 Central System for Multiple Injector Applications (Refrigerated)

- Filtration Deposit Control Technology
- UV Disinfection & Purification (System Treatment Up To 3000 GPH)



#### **TWT-BRS-4**

TWT-BRS/4Point-Of-Use Single Injection Application

- Filtration Deposit Control Technology
- UV Disinfection & Purification (System Treatment Up To 1000 GPH)

1



#### **TWT-BRS-9**

TWT-BRS/9 Point-Of-Use Fluid Treatment & Conditioning

- Deposit Control Technology UV Disinfection & Purification
- (System Treatment Up To 1000 GPH)

Custom Built-See section A-9 catalog

#### TWT-BRS-10

TWT-BRS/10 Point-Of-Use Fluid Treatment & Conditioning

- Deposit Control Technology UV Disinfection & Purification
- System Treatment Up To 1000 GPH

Custom Built-See section A-9 catalog

\*Custom System Quote:Industry specific fluid treatment needs and up grades Custom Installation: Pricing to be established based upon proposal submitted at time of sale based on materials cost at time of purchase Note: Above systems are fully integrated and factory assembled and mounted, offering end to endfluid management and treatment solutions Quote: Order based on price of material at time of purchase

#### FACTORY ASSEMBLED & MOUNTED FLUID MANAGEMENT SYSTEMS POE/POU

#### ALL-IN-ONE MD INTEGRATED WATER TREATMENT & CONDITIONING SYSTEMS \* P.O.E./P.O.U.

Filtration • Deposit Control • UV Disinfection/Purification

ITEM NUMBER GPM'S: CASE/PACK

**TWT-MD-1001** 1 GPM 1



**TWT-MD-1002** 4 GPM 1



**TWT-MD-1003** 8 GPM 1



**TWT-MD-1004** 12 GPM 1



Custom Orders: Larger pipe size ( GPM) applications available upon request

TWT Inc. recommends that an initial supply of replacement products e.g., replacement filters, UV lamps etc. be stored at owners facility at all times, that will insure uninterrupted service and treatment. Review product list for replacement filters and ultra-violet lamps. See Section B-2 & B-3

*Upgrades:* Customized TWT® systems to meet your treatment applications available upon request

Quote: Order based on price of material at time of purchase



#### ALL-IN-ONE MD INTEGRATED WATER TREATMENT & CONDITIONING SYSTEMS \* P.O.E./P.O.U.

Filtration • Deposit Control • UV Disinfection/Purification

ITEM NUMBER GPM'S: CASE/PACK

**TWT-MD-1005** 15 GPM 1



**TWT-MD-1006** 30 GPM 1



**TWT-SMD-1007\*** 50 GPM 1 **TWT-SMD-1008\*** 100 GPM 1



\* TWT-SMD-1007 & 8 upgrades are available—see section A-10

 ${\it Custom~Orders:} \ {\it Larger~pipe~size~(~GPM)~applications~available~upon~request} \\ {\it TWT~Inc.~recommends~that~an~initial~supply~of~replacement~products~e.g.},$ 

replacement filters, UV lamps etc. be stored at owners facility at all times, that will insure uninterrupted service and treatment. Review product list for replacement filters and ultra-violet lamps. See Section B-2 & B-3

*Upgrades:* Customized TWT<sup>®</sup> systems to meet your treatment applications available upon request

Quote: Order based on price of material at time of purchase

### PRODUCT LIST NUMBERS & DESCRIPTION



View and/or Download Section A-10 of Catalog (home page) for Additional Technical Information

#### REPLACEMENT FILTRATION PRODUCTS/MD SERIES

ITEM NUMBER &	PRODUCT DESCRIPTION:	CASE/PACK
TWT-MD-1001-RF	Set of 2 filters–1 Sediment, 1 GAC	2
TWT-MD-1002-RF	Set of 3 filters–1 Sediment, 1 GAC, 1 Carbon Block	2
TWT-MD-1003-RF	Set of 3 filters–1 Sediment, 1 GAC, 1 Carbon Block	2
TWT-MD-1004-RF	Set of 3 filters–1 Sediment, 1 GAC, 1 Carbon Block	2
TWT-MD-1005-RF	Set of 3 filters–1 Sediment, 1 GAC, 1 Carbon Block	2
TWT-MD-1006-RF	Set of 3 filters–1 Sediment, 1 GAC, 1 Carbon Block	2
TWT-SMD-1007-RF	Set of 2 filters–1 Sediment,1 Carbon Block Quote	1
TWT-SMD-1008-RF	Set of 2 filters–1 Sediment,1 Carbon Block Quote	1

#### REPLACEMENT FILTRATION PRODUCTS/MD SERIES

TWT-MD-1001-RF1	Set of 2 filters–1 Sediment, 1 Carbon Block	2	8
TWT-MD-1002-RF2*	Set of 3 filters–1 Sediment, 2 Carbon Block	2	
TWT-MD-1003-RF2	Set of 3 filters–1 Sediment, 2 Carbon Block	2	
TWT-MD-1004-RF2	Set of 3 filters–1 Sediment, 2 Carbon Block	2	
TWT-MD-1005-RF2	Set of 3 filters–1 Sediment, 2 Carbon Block	2	
TWT-MD-1006-RF2	Set of 3 filters–1 Sediment, 2 Carbon Block	2	

TWT recommends that filters be purchased in sets of two in order to ensure uninterrupted fluid treatment Reverse Osmosis: Removes the entire spectrum of drinking water contaminants If your application requirements are not listed, contact TWT® Inc. directly for further product information

Quote: Order based on price of material at time of purchase

<sup>\*</sup>Denote 2 Carbon Block Filters

#### TWT ALL-IN-ONE DP INTEGRATED WATER TREATMENT & CONDITIONING SYSTEMS

Deposit Control • UV Disinfection Purification System

ITEM NUMBER	GPM'S:	CASE/PACK	
TWT-DP-01	1 GPM	1	
TWT-DP-02	4 GPM	1	
TWT-DP-03	8 GPM	1	
TWT-DP-04	12 GPM	1	
TWT-DP-05	15 GPM	1	
TWT-DP-06	30 GPM	1	
TWT-DP-07	50 GPM	1	

#### ACCESSORIES FOR ABOVE MD/DP TREATMENT SYSTEMS

1

100 GPM

Stainless Steel Frame Supports for Free Standing Installation - Two Per Unit Required

TWT-MD/DP-2FS


**TWT-DP-08** 

Custom Orders: Larger pipe size ( GPM) applications available upon request

TWT Inc. recommends that an initial supply of replacement products e.g., replacement filters, UV lamps etc. be stored at owners facility at all times, that will insure uninterrupted service and treatment. Review product list for replacement filters and ultra-violet lamps. See Section B-2 & B-3

Upgrades: Customized TWT  $^{\!\circ}$  systems to meet your treatment applications available upon request

Quote: Order based on price of material at time of purchase



#### TWT- SOLAR POWERED TRANSPORTABLE WATER TREATMENT SYSTEM

Filtration • Deposit Control • UV Disinfection/Purification

ITEM NUMBER GPM'S: CASE/PACK

**TWT-SP-250-4** 4 GPM




TWT-SP-250-4

**TWT-SP-1003** 8 GPM 1

TWT Inc. recommends that an initial supply of replacement products e.g., replacement filters, UV lamps etc. be stored at owners facility at all times, that will insure uninterrupted service and treatment. Review product list for replacement filters and ultra-violet lamps. See Section B-2 & B-3

 $\textit{Upgrades} : \textbf{Customized TWT} \\ \texttt{\@modes} : \textbf{Systems to meet your treatment applications available upon request} \\$ 

Quote: Order based on price of material at time of purchase



TWT-SP-1003

#### TWT POINT-OF-USE WATER TREATMENT & CONDITIONING SYSTEM

Filtration • Deposit Control • UV Disinfection Purification System

**TWT-RPOU001** 1 GPM 1



**TWT-RPOU002** 4 GPM 1





# TOTAL WATER CONTROL SYSTEMS (TWCS) For Industrial, Cooling Towers, and Process Water Computerized Control of Filtration, Deposit Control, and Purification

MODEL NUMBER	VOLUME:	HP	GPM	CASE/PACK
Low Pressure System	ns (IN GALLONS)			
TWT-CTP-185-(HO)	0-2500	1.0	35	1
TWT-CTP-245-(HO)	2500-4000	2.0	63	1
TWT-CTP-305-(HO)	4000-6000	2.0	98**	1
High Pressure System	ns			
TWT-CTP-365-(HP)	6000-9000	3.0	142**	1
TWT-CTP-425-(HP)	9000-13,000	5.0	192**	1
TWT-CTP-485-(HP)	13,000-16,000	5.0	252**	1
TWT-CTP-665-(HP)	16,000-30,000	7.5	474**	1
TWT-CTP-725-(HP)	30,000-36,000*	10.0	566**	1

#### \*36,000-85,000 gallon systems prices upon request.

#### NOTES

For facilities with multiple treatment needs and applications, contact TWT for specific installation and special pricing guidelines

Pricing case by case, must take into consideration:

- Shipping/ Handling/ Insurance Installation/Cost (time frame)
- Additional equipment needs (reinstallation)
- Any additional charges (redistribution point) Consulting time, etc.



<sup>\*\*</sup> Custom System Quote: Industry specific fluid treatment needs and up grades Custom Installation: Pricing to be established based upon proposal submitted at time of sale based on materials cost at time of purchase

1

#### View and/or Download Section B-3 of Catalog (home page) for Additional Technical Information

#### **CUSTOM ENGINEERED & INTEGRATED (Fork Lift Skid-Mounted) HIGH VOLUME FLUID**

**TREATMENT SYSTEMS** (For potable, process and/or waste water applications)

TWT® PATENTEDDEPOSIT CONTROL TECHNOLOGY • UV DISINFECTION/PURIFICATION


ITEM NUMBER VOLUME CASE
GPM'S: PACK

#### TWT-CSMS-G2T-404-5007 400/600 GPM Treatment System

Unit Dimensions Approximate:
48" W x 65" D x 55" H

Treatment System
TWT-5C8-404 Deposit Control System
TWT-UV-5007 Disinfection/Purification Systems
Efficiency:
Expected 3 Log Reduction (99.9) for drinking water

Expected 1-2 Log Reduction for wastewater applications




#### TWT-CSMS-G4T-406-5007 700/1200 GPM Treatment System

Unit Dimensions Approximate: 48" W x 65" D x 55" H

Treatment System
TWT-5C8-406 Deposit Control System
TWT-UV-5007 Disinfection/Purification Systems

Efficiency:

Expected 3 Log Reduction (99.9) for drinking water Expected 1–2 Log Reduction for wastewater applications




#### TWT-CSMS-G6T-408-5007 1300/1500 GPM Treatment System

Unit Dimensions Approximate:  $48" W \times 65" D \times 75" H$ 

Treatment System
TWT-5C8-408 Deposit Control System
TWT-UV-5007 Disinfection/Purification Systems

Efficiency:

Expected 3 Log Reduction (99.9) for drinking water Expected 1–2 Log Reduction for wastewater applications



Note: Above systems are fully integrated and factory assembled.

Custom Orders: Larger pipe size ( GPM) applications available upon request

TWT Inc. recommends that an initial supply of replacement products e.g., UV lamps etc. be stored at owners facility at all times, that will insure uninterrupted service and treatment. Review product list for replacement filters and ultra-violet lamps.

*Upgrades:* Customized TWT® systems to meet your treatment applications available upon request

Quote: Order based on price of material at time of purchase









#### IONGUARD IONIZATION & PURIFICATION SYSTEM for POOLS / SPAS / HVAC System Consists of: TWT Control Unit & TWT ID Electrode Installation Kit

ITEM NUMBER & PRODUCT DESCRIPTION:	CASE/PACK	
TWT-5C8-277 0.5 AMP control unit (for pipes up to 2" or less) Ionization/Disinfection System for the control of Algae/Bacteria. *Designed for pool sizes upto 40,000 gallons	1	CONTROL IN ARTICLE OF THE PARTY
TWT-5C8-278  1.0 AMP control unit (for pipes up to 4" or less) Ionization /Disinfection System for the control of Algae/Bacteria. *Designed for pool sizes upto 80,000 gallons	1	6

Multiple units may be used in series for larger volume pools

#### **BioGard DEPOSIT CONTROL IONIZATION, CONDITIONING & TREATMENT SYSTEM**

TWT-5C8-40277 Integrated System–0.5 AMP Control Unit (for pipes up to 2" or less)	1
TWT-5C8-40478 Integrated System–1.0 AMP Control Unit (for pipes up to 4" or less)	1



ACCESSORIES for DEPOSIT CONTR	OL IONIZATION, CONDITION	NING & TREATMENT SYSTEM
TWT-RE-0255 3" Replacement Electrodes	1	
TWT-RE-0262 6" Replacement Electrodes	1	
TWT-ID-0257 2" T-Cap and Conduit	1	
TWT-ID-0263 3" T-Cap and Conduit	1	

1



TWT-ID-02634 4" T-Cap and Conduit



#### PRODUCT LIST NUMBERS & DESCRIPTION



View and/or Download Section B-5 of Catalog (home page) for Additional Technical Information

#### ACCESSORIES for DEPOSIT CONTROL IONIZATION, CONDITIONING & TREATMENT SYSTEM

ITEM NUMBER & PRODUCT DESCRIPTION:	CASE/PACK	
<b>TWT-ID-0254</b> 2" Tee PVC ( Schedule 40 )	1	
TWT-ID-0261 3" Tee PVC ( Schedule 40 )	1	
TWT-ID-0265 4" Tee PVC ( Schedule 40 )	1	
TWT-ID-0266 6" Tee PVC ( Schedule 40 )	1	
IONGUARD ELECTRODE INSTALLATION KITS  TWT-IDK-0258457 ID Electrode Installation Kit, 3" Electrode / 2" PVC Tee		
2" T-Cap and Conduit Normal Conductivity-TDS	1	
TWT-IDK-0264123* ID Electrode Installation Kit, 6" Electrode / 3" PVC Tee		

3" T-Cap and Conduit low Conductivity-TDS

ID Electrode Installation Kit, 6" Electrode / 4" PVC Tee

ID Electrode Installation Kit, 6" Electrode / 6" PVC Tee



Copper Test Kit

TWT-EC-70

TWT-IDK-0265324\*

4" T-Cap and Conduit

TWT-IDK-0265326\*

4" T-Cap and Conduit

1

Suggested System Integration / Reaction Chamber / Deposit Controller
\*TWT-IDK-0264123 (system integration) TWT-5C8-402 Deposit Controller
TWT-IDK-0265324 (system integration) TWT-5C8-403 Deposit Controller
TWT-IDK-0265326 (system integration) TWT-5C8-404 Deposit Controller
Quote: Order based on price of material at time of purchase

### PRODUCT LIST NUMBERS & DESCRIPTION



# View and/or Download Section B-3 & 4 of Catalog (home page) for Additional Technical Information TWT ULTRA-VIOLET DISINFECTION/PURIFICATION SYSTEM

ITEM NUMBER & PRODUCT DESCRIPTION:	GPM	CASE/PACK	
UV-4/QS4M-1			-
120V / 60 Hz Point of Use Ultraviolet Purifier	1	1	No.
UV-4/QS4M-2			
230V / 50 Hz Point of Use Ultraviolet Purifier	1	1	
UV-4/QS4E-12			
12V Point of Use Ultraviolet Purifier	1	1	
UV-4/QS4E-24			
24V Point of Use Ultraviolet Purifier	1	1	
UV-250/QD4M 120V / 60 Hz Residential UV Purifier with Alarm	4	1	
UV-250/QD4M-2 230V / 50 Hz Residential UV Purifier with Alarm	4	1	
UV-700/QD4E-1			6)
120V / 60 Hz Residential UV Purifier with Alarm UV-700/QD4E-2	8	1	
230V / 50 Hz Residential UV Purifier with Alarm	8	1	
UV-1200/QD4E-1			
120V /60 Hz Commercial UV Purifier with Alarm	12	1	



**Custom Orders:** Prices quoted upon request for larger systems.

**GPM:** Gallons per minute.

UV-1200/QD4E-2

Voltage: All products are 115/120V 60 Hz For higher voltage sources contact TWT for pricing.

Case Pack: All units packed individually.

230V / 50 Hz Commercial UV Purifier with Alarm

Replacement Lamps: Generally lamps should be replaced every 10 to 12 months, depending on water use quality and conditions

\* Custom System Quote: Industry specific fluid treatment needs and up grades Custom Installation: Pricing to be established based upon proposal submitted at time of sale based on materials cost at time of purchase

12

#### TWT ULTRA-VIOLET DISINFECTION/PURIFICATION SYSTEM

ITEM NUMBER & PRODUCT DESCRIPTION:	GPM	CASE/ PACK	
UV-1500/QS4E-1 120V / 60 Hz Commercial UV Purifier with Alarm	15	1	
UV-1500/QS4E-2 230V / 50 Hz Commercial UV Purifier with Alarm	15	1	
UV-2000/QD4E-1 120V / 60 Hz Commercial UV Purifier with Alarm	21	1	
UV-2000/QD4E-2 230V / 50 Hz Commercial UV Purifier with Alarm	21	1	
UV-3000/QS4E-1 120V / 60 Hz Commercial UV Purifier with Alarm	30	1	
UV-3000/QS4E-2 230V / 50 Hz Commercial UV Purifier with Alarm	30	1	
UV-5000/QS4E-1 120V / 60 Hz Commercial UV Purifier with Alarm	50	1	
UV-5000/QS4E-2 230V / 50 Hz Commercial UV Purifier with Alarm	50	1	
UV-6000/QS4E-1* 120V / 60 Hz Commercial UV Purifier with Alarm	80	1	
UV-6000/QS4E-2* 230V / 50 Hz Commercial UV Purifier with Alarm	80	1	
UV-5007/QS4E-1* 120V / 60 Hz Commercial UV Purifier with Alarm	200	1	1 UV 5007 CONTROLLER
UV-5007/QS4E-2*	200	1	

Prices quoted upon request for larger systems. **GPM:** Gallons per minute.

Voltage: All products are 115/120V 60 Hz For higher voltage

sources contact TWT for pricing.

Case Pack: All units packed individually.

230V / 50 Hz Commercial UV Purifier with Alarm

Replacement Lamps: Generally lamps should be replaced every 10 to 12 months,

depending on water use quality and conditions



<sup>\*</sup>Custom System Quote: Industry specific fluid treatment needs and up grades Custom Installation:

Pricing to be established based upon proposal submitted at time of sale based on materials cost at time of purchase



#### TWT ULTRA-VIOLET DISINFECTION/PURIFICATION SYSTEM

ITEM NUMBER & PRODUCT DESCRIPTION:	GPM	CASE/ PACK	
UV-50 Quattra Compact Commercial / Industrial / Marine Industries Effluent Waste Water Treatment System	50	1	
Quote: Order based on price of material at time of purchase			



#### TWT ULTRA-VIOLET P.O.U. C SERIES DISINFECTION/PURIFICATION SYSTEM

ITEM NUMBER & PRODUCT DESCRIPTION:	GPM	CASE/ PACK	
UVC-250 120V / 60 Hz Ultraviolet System with Manual Shut-Off Valves, Alarm & UV Monitor	4	1	
UVC-250-2 230V / 50 Hz Ultraviolet System with Manual Shut-Off Valves, Alarm & UV Monitor	4	1	
<b>UVC-700</b> 120V / 60 Hz Ultraviolet System with Manual Shut-Off Valves, Alarm & UV Monitor	8	1	
<b>UVC-700-2</b> 230V / 50 Hz Ultraviolet System with Manual Shut-Off Valves, Alarm & UV Monitor	8	1	



UVC-1200 120V / 60 Hz Ultraviolet System with Manual Shut-Off Valves, Alarm, UV Monitor and Automated Solenoid Valve	12	1
UVC-1200-2 230V / 50 Hz Ultraviolet System with Manual Shut-Off Valves, Alarm, UV Monitor and Automated Solenoid Valve	12	1



Custom Orders: Prices quoted upon request for larger systems.

GPM: Gallons per minute. All units packed individually. Case Pack:

Replacement Lamps: Generally lamps should be replaced every 10 to 12 months, depending on water use quality and conditions

#### TWT ULTRA-VIOLET DISINFECTION/PURIFICATION SYSTEM

ITEM NUMBER & PRODUCT DESCRIPTION:	GPM	CASE PACK	
UVC-1500 120V / 60 Hz Ultraviolet System with Manual Shut-Off Valves, Alarm, UV Monitor and Automatic Solenoid Valve	15	1	
UVC-1500-2 230V / 50 Hz Ultraviolet System with Manual Shut-Off Valves, Alarm, UV Monitor and Automatic Solenoid Valve	15	1	
UVC-3000 120V / 60 Hz Ultraviolet System with Manual Shut-Off Valves, Alarm, UV Monitor and Automatic Solenoid Valve	30	1	
UVC-3000-2 230V / 50 Hz Ultraviolet System with Manual Shut-Off Valves, Alarm, UV Monitor and Automatic Solenoid Valve	30	1	
UVC-5000 120V / 60 Hz Ultraviolet System with Manual Shut-Off Valves, Alarm, UV Monitor and Automatic Solenoid Valve	50	1	
UVC-5000-2 230V / 50 Hz Ultraviolet System with Manual Shut-Off Valves, Alarm, UV Monitor and Automatic Solenoid Valve	50	1	
UVC-6000 120V / 60 Hz Ultraviolet System with Manual Shut-Off Valves, Alarm, UV Monitor and Automatic Solenoid Valve	100	1	
UVC-6000-2 230V / 50 Hz Ultraviolet System with Manual Shut-Off Valves, Alarm, UV Monitor and Automatic Solenoid Valve	100	1	
Custom Orders: Prices quoted upon request for larger sy GPM: Gallons per minute.	stems.		

GPM: Gallons per minute.

Case Pack: All units packed individually.

Replacement Lamps: Generally lamps should be replaced every 10 to 12 months, depending on water use quality and conditions

Quote: Order based on price of material at time of purchase

#### PRODUCT LIST NUMBERS & DESCRIPTION



View and/or Download Section B-3 &4 of Catalog (home page) for Additional Technical Information

#### **ULTRA-VIOLET DISINFECTION/PURIFICATION REPLACEMENT LAMPS (& Quartz Domes)**

ITEM NUMBER	PRODUCT DESCRIPTION:	CASE/PACK
UV-RL-MZ/CELL	Replacement Lamp Cell – Mini-zap	1
UV-RL-4/T5	UV Lamp with Quartz Sleeve for UV-4 Purifier	1
UV-RL-250/T5	UV Lamp 1 ended without Quartz Sleeve for UV-250 Purifier	1
UV-RL-250/T8	UV Lamp 2 ended without Quartz Sleeve for UV-250 Purifier	1
UV-RQS-250	Quartz Sleeve for 1 ended Lamp-UV-250 Purifier	1
UV-RQD-250	Quartz dome for UV-250 Purifier	1
UV-RL-700/T5	UV Lamp 1 ended without Quartz Sleeve for UV-700 Purifier	1
UV-RL-700/T8	UV Lamp 2 ended without Quartz Sleeve for UV-700 Purifier	1
UV-RQS-700	Quartz Sleeve for 1 ended UV Lamp-UV-700 Purifier	1
UV-RQD-700	Quartz Dome for UV-700 Purifier	1
UV-RL-1200/T5	UV Lamp 1 ended without Quartz Sleeve for UV-1200 Purifier	1
UV-RL-1200/T8	UV Lamp 2 ended without Quartz Sleeve for UV-1200 Purifier	1
UV-RQS-1200	Quartz Sleeve for 1 ended UV Lamp for UV-1200 Purifier	1
UV-RQD-1200	Quartz Dome for UV-1200 Purifier	1
UV-RL-15/20/50/T5	UV Lamp 1 ended without Quartz Sleeve for UV-1500, UV-2000 & UV-5000	1
UV-RL-15/20/50/T8	UV Lamp 2 ended without Quartz Sleeve for UV-1500, UV-2000 & UV-5000	1
UV-RQS-15/20/50	Quartz Sleeve for 1 ended UV Lamp – UV-1500, UV-2000 & UV-5000	1
UV-RL-30/60/T6	UV Lamp 1 ended without Quartz Sleeve for UV-3000 & UV-6000	1
UV-RL-30/60/T12	UV Lamp 2 ended without Quartz Sleeve for UV-3000 & UV-6000	1
UV-RQS-30/60	Quartz Sleeve for 1 ended UV Lamp – UV-3000 & UV-6000	1
UV-RL-5007/T5	UV Lamp 1 ended without Quartz Sleeve for UV-5007 Purifier ( 7 required-Price is for single lamp )	1
UV-RQS-5007	Quartz Sleeve for 2 ended UV Lamp – UV-5007 Purifier	1
UV-50-RL	Quattra replacement lamps	4



Generally lamps should be replaced every 10 to 12 months, depending on water use quality and conditions

<sup>\*</sup>Custom System Quote:Industry specific fluid treatment needs and up grades



#### **ULTRA-VIOLET DISINFECTION/PURIFICATION SYSTEM ACCESSORIES**

ITEM NUMBER	PRODUCT DESCRIPTION:	CASE/PACK	_
TWT-4-UV/MS-1	Ultraviolet Monitoring System 120 / 60 Hz	1	
TWT-4-UV/MS-2	Ultraviolet Monitoring System 230 / 50 Hz	1	
TWT-4-UV/LD-12	Lite Detective 12 Volt	1	
TWT-4-UV/MS-12E	Lite Detective 12 Volt (Euro Adapter)	1	

<b>SOLENOID VALVE</b> -	STOPS the WATER FLOW in the E	VENT of a SYSTEM FAII	LURE
TWT-4-SV500-1	1/2" Solenoid Valve 120 V / 60 Hz	1	
TWT-4-SV500-2	1/2" Solenoid Valve 230 V / 50 Hz	1	
TWT-4-SV750-1	3/4" Solenoid Valve 120 V / 60 Hz	1	
TWT-4-SV750-2	3/4" Solenoid Valve 230 V / 50 Hz	1	
TWT-4-SV1000-1	1" Solenoid Valve 120 V / 60 Hz	1	
TWT-4-SV1000-2	1" Solenoid Valve 230 V / 50 Hz	1	
TWT-4-SV1250-1	1-1/4" Solenoid Valve 120 V / 60 Hz	1	
TWT-4-SV1250-2	1-1/4" Solenoid Valve 230 V / 50 Hz	1	
TWT-4-SV1500-1	1-1/2" Solenoid Valve 120 V / 60 Hz	1	
TWT-4-SV1500-2	1-1/2" Solenoid Valve 230 V / 50 Hz	1	
TWT-4-SV2000-1	2" Solenoid Valve 120 V / 60 Hz	1	
TWT-4-SV2000-2	2" Solenoid Valve 230 V / 50 Hz	1	

Larger sizes available upon request

## PRODUCT LIST NUMBERS & DESCRIPTION



#### View and/or Download Section B-3 of Catalog (home page) for Additional Technical Information

#### **BALLAST UNITS**

ITEM NUMBER	PRODUCT DESCRIPTION:	CASE/PACK
TWT-4-BM/MZ-1	Ballast for Mini-Zap 120 V / 60 Hz	1
TWT-4-BM/MZ-2	Ballast for Mini-Zap 230 V / 50 Hz	1
TWT-4-BM /4-1	Ballast for UV-4 Purifier 120 V / 60 Hz	1
TWT-4-BM/4-2	Ballast for UV-4 Purifier 200 V / 50 Hz	1
TWT-4-12V	Ballast for UV-4 Purifier 12 Volt and Mini-zap 12 Volt	1
TWT-4-24V	Ballast for UV-4 Purifier 24 Volt	1
TWT-4-BM-250-1IL	Ballast In-Line with Alarm for UV-250 Purifier 120V / 60 Hz	1
TWT-4-BM-250-2IL	Ballast In-Line with Alarm for UV-250 Purifier 230V / 50 Hz	1
TWT-4-BE-700-1	Ballast cap & Harness with Alarm for UV-700 Purifier 120V / 60 Hz	1
TWT-4-BE-700-2	Ballast cap & Harness with Alarm for UV-700 Purifier 230V / 50 Hz	1
TWT-4-BE-12/15/50-1	Ballast cap & Harness with Alarm for UV-1200/1500/2000/ 5000 120V-60 Hz	1
TWT-4-BE-12/15/50-2	Ballast cap & Harness with Alarm for UV-1200/1500/2000/ 5000 230V-50 Hz	1
TWT-4-BE-30/60-1	Ballast cap & Harness with Alarm for UV-3000, UV-6000 120V-60 Hz	1
TWT-4-BE-30/60-2	Ballast cap & Harness with Alarm for UV-3000, UV-6000 230V-50 Hz	1
TWT-BE-5007-1	Ballast for UV-5007 Purifier 120V / 60 Hz	1
TWT-BE-5007-2	Ballast for UV-5007 Purifier 230V / 50 Hz	1
TWT-BE-509	Ballast for Quattra UV-50 Purifier	1





#### **ULTRA-VIOLET DISINFECTION/PURIFICATION REPLACEMENT PARTS**

ITEM NUMBER	PRODUCT DESCRIPTION:	CASE/PACK
TWT 40 WDE 402	Found accomply kit	4
TWT-10-WDF-103	Faucet assembly kit	4
TWT-10-SV-6	Saddle valve assembly	4
TWT-10-39	Diverter Valve for Mini-Zap	4
TWT-7-15	Quartz view port disc	4
TWT-10-VPA	View port assembly kit	4
TWT-4-2	4 Pin lamp connector	4
TWT-4-S-2	Starter for the Old Style UV4 / UV250-T8	4
TWT-4-S-10	Starter for the Old Style UV700-TB	4
TWT-8-34	Lamp retaining nut for Mini-Zap	4
TWT-8-17	Lamp / Quartz compression nut for UV4	4
TWT-8-51	Lamp / Quartz compression nut for UV250 / UV700 / UV1200	4
TWT-8-53	Lamp / Quartz compression nut for UV1500 / UV2000 / UV5000	4
TWT-8-301	Lamp / Quartz compression nut for UV3000 / UV6000	4
TWT-8-9	View port compression nut for UV700 / 1200 / 1500 / 2000 / 3000/ 5000	4
TWT-11-220	Hub seal for Mini-Zap	4
TWT-11-9	Housing seal for the Old Style Mini-Zap	4
TWT-11-3	Quartz sleeve seal for MZ / UV4 / 250 / 700 /1200 / 1500 / 2000 / 3000/ 5000	4
TWT-11-10	Lamp O-ring for UV3000 / UV6000	4
TWT-11-324	Quartz sleeve seal for UV3000 / Uv6000	4
TWT-11-7	Outer Flange Seal for UV5007	4
TWT-11-6	View port seal & lamp O-ring for UV250 / 700 / 1200 / 1500 / 2000/ 5000	4
TWT-8-144142	Double bracket for 10" filter housings	4
TWT-13-20	Mounting Bracket for UV4 System	4

# **UV REPLACEMENT PARTS**

Quote: Order based on price of material at time of purchase

#### **ULTRA-VIOLET DISINFECTION/PURIFICATION SYSTEM with Filtration**

ITEM NUMBER & PRODUCT DESCRIPTION:		GPM	CASE PACK	
TWT-PMTZ/P4M-1 Mini-Zap Counter Top 120V / 60Hz Travel Purifier with Filter	Ultraviolet	.2	2	
TWT-PMTZ/P4M-2 Mini-Zap Counter Top 230V / 50Hz Travel Purifier with Filter	Ultraviolet	.2	2	
TWT-PMTZ/P4E-12 Mini-Zap Counter Top 12V Travel Ultraviol Purifier with Filter	let	.2	2	
ITEM NUMBER	FILTER		CASE/PACK	
PRODUCT DESCRIPTION:	SPECS			
TWT-SYS4/QS4M-1 (GPM 1)	Sed-5M		1	_3

ITEM NUMBER	FILTER	CASE/PACK	
PRODUCT DESCRIPTION:	SPECS		
TWT-SYS4/QS4M-1 (GPM 1) 120V / 60 Hz Point-of-Use Ultraviolet 10" Sediment Purifier Filter – 10" carbon Block	Sed-5M Carb-0.5M	1	
TWT-SYS4/QS4M-2 230V / 60 Hz Point-of-Use Ultraviolet Purifier –10" Sediment Filter 10" carbon Block	Sed-5M Carb-0.5M	1	
TWT-SYS4/QS4E-12 12V Point-of-Use Ultraviolet Purifier 10" Sediment Filter – 10" carbon Block	Sed-5M Carb-0.5M	1	
TWT-SYS4/QS4E-24 24V Point-of-Use Ultraviolet Purifier 10" Sediment Filter – 10" carbon Block	Sed-5M Carb-0.5M GAC	1	
TWT-SYS43/QS43M-1 (GPM 1) 120V / 60 Hz Point-of-Use Ultraviolet Purifier/10" Sediment Filter 10" Carbon Block/ 10" GAC	Sed-5M Carb-0.5M GAC	1	
TWT-SYS43/QS43M-2 230V / 60 Hz Point-of-Use Ultraviolet Purifier 10" Sediment Filter 10" Carbon Block / 10" GAC	Sed-5M Carb-0.5M GAC	1	
TWT-SYS43/QS43E-12 12V Point-of-Use Ultraviolet Purifier 10" Sediment Filter / 10" Carbon Block 10" GAC	Sed-5M Carb-0.5M GAC	1	
TWT-SYS43/QS43E-24 124V Point-of-Use Ultraviolet Purifier 10" Sediment Filter 0.5" Carbon Block 10" GAC	Sed-5M Carb-0.5M GAC	1	

#### **FILTER SETS FOR UV PURIFIERS (***UV Purifiers Not Included***)**

ITEM NUMBER PRODUCT DESCRIPTION:	FILTER SPECS	CASE PACK	a
TWT-SYS250-FSUV (4 GPM) Filter Set and Ultraviolet UV250 Purifier Combined as a Unit	iSed-5M Carb-10M	1	
TWT-SYS250-FS Filter Specs: Sed-5M/Carb -10M Filter Set - complete with filter housings, mounting bracket, wrench and 10"sediment filter and 10" carbon filter 1/2" or 3/4" in-out-pressure tested	Sed-5M Carb-10M	1	

TWT-SYS700-FSUV (8 GPM) Sed-5M 1
Filter Set and Ultraviolet UV700 Purifiier Carb-10M
Combined as a Unit

TWT-SYS700-FS Sed-5M 1
Filter Specs: Sed-5M/Carb -10M Filter Set - Carb-10M complete with filter housings, mounting bracket, wrench and 20" sediment filter and 20" carbon filter-

3/4" in-out-pressure tested



TWT-SYS1200-FSUV (12 GPM)

Filter Set and Ultraviolet UV1200 Purifiier

Combined as a Unit

Sed-5M

Carb-10M

TWT-SYS1200-FS

Sed-5M

1

Filter Specs: Sed-5M/Carb -10M Filter Set complete with filter housings, mounting bracket, wrench and 20" sediment filter and 20" carbon filter-1" in-out-pressure tested Sed-5M Carb-10M



#### **FILTER SETS FOR UV PURIFIERS (***UV Purifiers Not Included***)**

ITEM NUMBER	FILTER	CASE
PRODUCT DESCRIPTION:	SPECS	PACK

### TWT-SYS1500-FSUV (GPM 15)

Filter Set and Ultraviolet UV1500 Purifier Combined as a Unit

Sed-5M Carb-10M 1



#### TWT-SYS1500-FS

Filter Specs: Sed-5M/Carb -10M Filter Set complete with filter housings, mounting bracket, wrench and 20" sediment filter and 20" carbon filter-1" BB in-out-pressure tested Sed-5M Carb-10M

1



#### TWT-SYS3000-FSUV (GPM 30)

Filtert set and Ultraviolet UV3000 Purifier Combined as a Unit

Sed-5M Carb-10M

1



#### TWT-SYS3000-FS

Filter Specs: Sed-5M/Carb -10M Filter Set -complete with filter housings, mounting bracket, wrench and 20" sediment filter and 20" carbon filter- 1-1/2" BB in-out-pressure tested

Sed-5M Carb-10M 1



#### Filter sets and UV Purifiers stand alone or as units

ITEM NUMBER & PRODUCT DESCRIPTION:	GPM	CASE PACK	
TWT-SYS5000 Custom System Quote	50	1	
TWT-SYS6000 Custom System Quote	100	1	
TWT-SYS5007 Custom System Quote	200	1	
Quote: Order based on price of mate	erial at time of purchase		These systems are similar in appearance but have different capacities



#### **OZONE SYSTEMS and COMPONENTS**

TWT-15-SW-400* Ozone Generator 0.4 grams/hr. 120V / 60Hz	1
TWT-15-SW-400-2* Ozone Generator 0.4 grams/hr. 230V / 50Hz	1
TWT-15-SW-800-1* Ozone Generator 0.8 grams/hr. 120V / 60Hz	1
TWT-15-SW-800-2* Ozone Generator 0.8 grams/hr. 230V / 50Hz	1



TWT-15-SVD1-1 Vacuum Drier – One-Tube 120V / 60Hz (for SW-400)	1
TWT-15-SVD1-2 Vacuum Drier – One-Tube 230V / 50Hz (for SW-400)	1
TWT-15-SVD2-1 Vacuum Drier – Two-Tube 120V / 60Hz (for SW-800)	1
TWT-15-SVD2-2 Vacuum Drier – Two-Tube 230V / 50Hz (for SW-800)	1



TWT-VI-50 Venturi Injector 1/2"	1
TWT-VI-100 Venturi Injector 1"	1
*! link on an acity overlance available versus asset	



<sup>\*</sup>Higher capacity systems available upon request

# TRANSPORTABLE WATER TREATMENT SYSTEMS WITH MULTI-STAGE MICRO-FILTRATION, DEPOSIT CONTROL AND ULTRA-VIOLET DISINFECTION

<b>20</b> 40	1	
40	1	
60	1	
75	1	TWT-UV-60

#### **Component List**

**TWT-UV-200** 

1. Stainless Steel Base Skid

Complete Disinfection System

- 2. One H.P. pump with a 50 ft. Head, self priming
- 3. One strainer basket
- 4. Two 10 micron bag filters
- One stainless steel 30" carbon filter or One 40" stainless steel carbon filter for UV 40/60
- 6. One #90 Hurricane 5 micron filter
- 7. One #90 Hurricane 1 micron filter
- 8. One UV 5000 disinfection subsystem
- 9. One chlorine injector (optional)
- 10.TWT deposit control subsystem

#### Skid Size:

Skid size is approximately 48"X66" crated, and ready to hook onto inlet and outlet with quick connect couplings. Unit is crated to fit into the airplane cargo compartment.

The TWT-UV-40 (40 GPM), TWT-UV-60 (60 GPM), TWT-UV-75 (75 GPM), TWT-UV-220 (200 GPM) are the same in operation, just proportionally larger.

200

1

Custom Installation: Pricing to be established based upon proposal submitted at time of sale °based on materials cost at time of purchase

Quote: Order based on price of material at time of purchase

Pricing case by case, must take into consideration:

- Shipping/ Handling/ Insurance Installation/Cost (time frame)
- Additional equipment needs (reinstallation)
- Any additional charges (redistribution point) Consulting time, etc.



TWT-UV-200



## FILTRATION PRODUCTS/10" FILTER HOUSINGS for $9^3/4$ " & $9^7/8$ " REPLACEMENT CARTRIDGES

ITEM NUMBER	PRODUCT DESCRIPTION	CASE/PACK
TWT-FH4200WW14	10" White Filter Housing for 1/4" pipe size	6
TWT-FH4200WW38	10" White Filter Housing for 3/8" pipe size	6
TWT-FH4200WW12	10" White Filter Housing for 1/2" pipe size	6
TWT-FH4200WW34	10" White Filter Housing for 3/4" pipe size	6
TWT-FH5000BL34PR	10" Blue Filter Housing for 3/4" pipe size with Pressure Release Valve	6
TWT-FH5000BL1PR	10" Blue Filter Housing for 1" pipe size with Pressure Release Valve	6
TWT-FH5000BL15PR	10" Blue Filter Housing for 1-1/2" pipe size with Pressure Release Valve	6
FILTRATION PRODUC	TS/20" FILTER HOUSINGS for 20" X 4-1/2" OD CARTRI	DGES
TWT-FH10000BL34PR	20" Blue Filter Housing for 3/4" pipe size with Pressure Release Valve	6
TWT-FH5000BL1PR	20" Blue Filter Housing for 1" pipe size with Pressure Release Valve	6
TWT-FH5000BL15PR	20" Blue Filter Housing for 1-1/2" pipe size with Pressure Release Valve	6
FILTRATION PRODUC	TS/JUMBO FILTER HOUSINGS	
TWT-FMJCH40	50 GPM single cartridge, jumbo filter housings in 316 stainless steel	1
TWT-FMJCH90	TWT-FMJCH90 100 GPM single cartridge, jumbo filter housings in 316 stainless stee	
TWT-FMJCH170	150 GPM single cartridge, jumbo filter housings in 316 stainless steel	1
FILTRATION PRODUC	TS/JUMBO FILTER & HURRICANE HOUSINGS REPLAC	CEMENTS
TWT-FMHC-40-5	5 micron pleated cartridges for FMJC40	1
1 W 1-FWING-40-5	o militari produca can magos ren i meg re	•
TWT-FMHC-90-5	5 micron pleated cartridges for FMJCH90	1
TWT-FMHC-90-5 TWT-FMHC-170-5	5 micron pleated cartridges for FMJCH90	1
TWT-FMHC-90-5 TWT-FMHC-170-5 Pleated: Washable and I	5 micron pleated cartridges for FMJCH90 5 micron pleated cartridges for FMJCH170	1
TWT-FMHC-90-5 TWT-FMHC-170-5 Pleated: Washable and r	5 micron pleated cartridges for FMJCH90 5 micron pleated cartridges for FMJCH170 eusable for sediment reduction/removal	1
TWT-FMHC-90-5 TWT-FMHC-170-5 Pleated: Washable and I	5 micron pleated cartridges for FMJCH90 5 micron pleated cartridges for FMJCH170 eusable for sediment reduction/removal  CTS/REPLACEMENT BAG FILTERS	1
TWT-FMHC-90-5 TWT-FMHC-170-5 Pleated: Washable and I	5 micron pleated cartridges for FMJCH90 5 micron pleated cartridges for FMJCH170 eusable for sediment reduction/removal  CTS/REPLACEMENT BAG FILTERS  Micron bag filters	20
TWT-FMHC-90-5 TWT-FMHC-170-5 Pleated: Washable and I  FILTRATION PRODUCTWT-RBF-05 TWT-RBF-10 TWT-RBF-20 20	5 micron pleated cartridges for FMJCH90 5 micron pleated cartridges for FMJCH170 eusable for sediment reduction/removal  CTS/REPLACEMENT BAG FILTERS  Micron bag filters  Micron bag filters	1 1 20 20

Other Micronic sizes available upon request

Quote: Order based on price of material at time of purchase









#### FILTRATION PRODUCTS/REPLACEMENT FILTER CARTRIDGES

ITEM#	PRODUCT DESCRIPTION	MICRON	HOUSING	CASE PACK
TWT-155169	Solid Block	0.5	10"	24
TWT-155634	Solid Block	10	10"	12
TWT-155783	Solid Block	10	20" Big Blue	4
TWT-155635	Solid Block	10	20" Slim Line	6
Solid Block: Activated chemical reduction/re	carbon for taste, lead, emoval	odor, chlorine	and organic	
TWT-155182	Pleated Sediment	5	10"	24
TWT-155103	Pleated Sediment	10	10"	24
TWT-155420	Pleated Sediment	5	20" Big Blue	6
TWT-155305	Pleated Sediment	20	20" Big Blue	6
TWT-155414	Pleated Sediment	5	20" Slim Line	14
TWT-155303	Pleated Sediment	20	20" Slim Line	14
TWT-155382 Pleated Carbon: Tas	Pleated Carbon te, odor, chlorine and o	10 organic chemic	20" Big Blue al reduction/removal	6
TWT-155109	GAC	N/A	10"	12
TWT-155249	GAC	N/A	20" Big Blue	4
TWT-155111	GAC	N/A	20" Slim Line	4
GAC: Granulated activated carbon for taste, odor, organic chemicals and chlorine reduction/removal				
TWT-GAC10M/KDF	GAC/KDF	N/A	10"	24
coppe organi		gned to remove sulfide, sulfur,	e chlorine, lead, volatile herbicides, pesticides,	
TWT-MZRFC	Mini-Zap Replaceme Filter Cartridge	nt		6

The above replacement filter cartridges are used in TWT Counter Top, Under Counter, P.O.E., P.O.U. and Integrated All-In-One Treatment Systems. Refer to Specific product sheet (catalog or website) for correct replacement filter cartridges needed.

Product numbers may change, micron size, filter medium must be indicated on purchase order

Note: Filter Housing, Filter Replacement Cartridges, and In-Line Filters if not listed, are available upon request



#### IN-LINE FILTERS for PRE OR POST FILTRATION-View and/or Download Section B-2 of Catalog

ITEM NUMBER	PRODUCT DESCRIPTION	CASE PACK	
TWT-K2533JJ	10" Granulated activated carbon for 1/4" pipe	6	
TWT-K2586JJ	10" Granulated activated carbon & polyphosphate for 1/4" pipe	6	
TWT-CL6PF5	6" Five micron sediment filter	6	
TWT-CL6ROT33	6" Coconut shell, granular activated carbon filter	6	
TWT-SCL6	6" Granular activated carbon with phosphate	6	
TWT-CL10PF5	10" Five micron sediment filter	6	
TWT-CL10ROT33	10" Coconut shell, granular activated carbon filter	6	
TWT-CL10STT33	10" Granular activated carbon with mesh	6	
TWT-SCL10	10" Granular activated carbon with phosphate	6	
K Series	' '		
TWT-K2333JJ	6" Coconut shell activated carbon with 1/4" John Guest fittings	6	
TWT-K2386JJ	6" Coconut shell activated carbon with phosphate and 1/4" John Guest fittings	6	
TWT-K2305JJ	6" 5 micron sediment filter with 1/4" John Guest fittings	6	
TWT-K2533JJ	10" Coconut shell activated carbon 1/4" John Guest fittings	6	
TWT-K2533SS	10" Granulated activated carbon 1/4" John Guest fittings	6	
TWT-K2586JJ	10" Granulated activated carbon with phosphate and 1/4" John Guest fittings	6	
TWT-K2586SS	10" Granulated activated carbon with phosphate and 1/4" John Guest elbow	6`	
ΓWT-K2505JJ	10" Five micron sediment filter with John Guest fittings	6	
TWT-K5633JJ	12" Coconut shell activated carbon 1/4" John Guest fittings	6	
TWT-K5686JJ	12" Granulated activated carbon with phosphate and 1/4" John Guest fittings	6	
TWT-K5605JJ	12" Five micron sediment filter with John Guest fittings	6	
2 Series			
TWT-QHEAD	Non-valve head, 1/4" FNPT	6	
TWT-QHEAD-V	Valve head, 1/4" FNPT	6	
ГWT-Q5333	6" Acid washed granular activated carbon	6	
TWT-Q5433	8" Acid washed granular activated carbon	6	
TWT-Q5533	10" Acid washed granular activated carbon	6	
TWT-Q5633	12" Acid washed granular activated carbon	6	
TWT-Q5386	6" Granulated activated carbon with phosphate	6	
TWT-Q5486	8" Granulated activated carbon with phosphate	6	
TWT-Q5586	10" Granulated activated carbon with phosphate	6	
TWT-Q5515	10" Carbon block, lead red	6	
TWT-Q5520	10" One micron carbon block	6	
TWT-Q5686	12" Granulated activated carbon with phosphate	6	
TWT-Q5305	6" Five micron sediment filter	6	
TWT-Q5405	8" Five micron sediment filter	6	
TWT-Q5505	10" Five micron sediment filter	6	
TWT-Q5605	12" Five micron sediment filter	6	
TWT-Q5605	12" Five micron sediment filter	6	
TWT-Q5672TS 18 GPD	Membrane element, CTA 18 GPD (chlorine tolerant)	6	
TWT-Q5672TS 25 GPD	Membrane element, TFC 25 GPD (thin film composite)	6	
TWT-Q6572TS 35 GPD	Membrane element, TFC 35 GPD (thin film composite)	6	
TWT-Q5672TS 45 GPD	Membrane element, TFC 45 GPD (thin film composite)	6	
	moniposite)	J	

#### FILTRATION PRODUCTS/ICE MAKER FILTERS

ITEM NUMBER & PRODUCT DESCRIPTION:	CASE PACK
TWT-AICRO In-Line activated carbon cartridge, 2" X 10" with 1/4" FNPT fittings	6
<b>Solid Block:</b> Activated carbon for taste, lead, odor, chlorine and organic chemical reduction/removal	



#### FILTRATION PRODUCTS/RESIDENTIAL REVERSE OSMOSIS SYSTEMS

TWT-FMRO4J 4 stage, 50 GPM, jaco fittings, 1/4" tubing, chrome, lead-free faucet	1	
TWT-FMRO4G 4 stage, 50 GPM, John Guest fittings, 3/8" tubing from tank to faucet, lead-free faucet	1	
TWT-FMR05GP 5 stage, 50 GPM, John Guest fittings, 3/8" tubing from tank to faucet, lead-free faucet with Aquatic CDP-6800 booster pump	1	

TWT-FMRO4G



These systems are similar in appearance but have different capacities

#### FILTRATION PRODUCTS/COMMERCIAL/INDUSTRIAL REVERSE OSMOSIS SYSTEMS

<b>TWT-RO300G-FL</b> 300 GPD, 3/4" FNPT, 2.5" X 21" membrane	1
<b>TWT-RO500G-FL</b> 500 GPD, 3/4" FNPT, 2.5" X 21" membrane	1
<b>TWT-RO1000G-FL</b> 1,000 GPD, 3/4" FNPT, 4" X 21" membrane	1
TWT-RO1200G-FL 1,200 GPD, 3/4" FNPT, 4" X 40" membrane	1



TWT-RO300G-FL

These systems are similar in appearance but have different capacities

TWT recommends that filters be purchased in sets of two in order to ensure uninterrupted fluid treatment Reverse Osmosis: Removes the entire spectrum of drinking water contaminants

Reverse osmosis systems include membrane separation, activated carbon absorption and conventional, filtration to reduce the entire spectrum of contaminants that can be found in water.RO systems substantially remove heavy metals, such as barium, cadmium, chromium, lead and mercury; radium 226 / 228 selenium, cysts, chlorine, salts, turbidity and more.

If your application requirements are not listed, contact TWT® Inc. directly for further product information Quote: Order based on price of material at time of purchase

<sup>\*</sup>Denote 2 Carbon Block Filters

#### UNIVERSAL SHOWER FILTERED PRODUCTS

ITEM NUMBER & PRODUCT DESCRIPTION:	CASE PACK	
TWT-SL-WH-M Slim-Line White Massage Shower Filter with Filter Cartridge	4	
TWT-SL-CM-M Slim-Line Chrome Massage Shower Filter with Filter Cartridge	4	
TWT-SL-GD-M Slim-Line Gold Massage Shower Filter with Filter Cartridge	4	
TWT-HO-WH-M High-Output White Shower Head with Filter Cartridge	4	
TWT-HO-CM-M High-Output Chrome Shower Head with Filter Cartridge	4	
TWT-GD-WH-M High-Output Gold Shower Head with Filter Cartridge	4	
TWT-APS3-CT Prestige All-in-One Filtered Shower Head /Chrome trim with Filter Cartridge	4	
TWT-APS3-GT Prestige All-in-One Filtered Shower Head /Gold trim with Filter Cartridge	4	

#### **UNIVERSAL SHOWER FILTERED HANDLES**

ITEM NUMBE PRODUCT DE		CASE PACK	
TWT-HH-CT Universal Sh with Filter C	nower Handle / Chrome Trim	4	
TWT-HH-CN Universal Sh with Filter C	nower Handle / All Chrome	4	
TWT-HH-GE Universal Sh with Filter C	nower Handle / all Gold	4	
TWT-HF-CN Shower Ha with Filter C	ndle Hose Filter / Chrome	4	
TWT-HF-GI Shower Ha with Filter C	ndle Hose Filter / Gold artridge	4	
DEDT ACTIVE	NO PHOPE CARDINATE		

#### REPLACEMENT FILTER CARTRIDGES

TWT-SLC Slim-Line Replacement Cartridge (cartridge life cycle 6 months)	4	
TWT-HOC High-Output Replacement Cartridge ( cartridge life cycle 1year)	4	
TWT-HOC Prestige Replacement Cartridge (cartridge life cycle 6 months)	4	- Insu
TWT-HHC-2 Shower Handle Replacement Cartridge 2 Pack (cartridge life cycle 3 month each)	4	
TWT-HHC-2		

Shower Handle Hose Filter Replacement Cartridge 2 Pack (cartridge life cycle 3 month each)

#### FILTRATION PRODUCTS/COUNTER TOP FILTER SYSTEMS

ITEM NUMBER & PRODUCT DESCRIPTION:	CASE PACK	
TWT-CT-MW TWT®Counter Top Filter System with with audible alarm for cartridge replacement	4	
TWT-CT-C TWT® Counter Top Filter System with chrome spout & John Guest connectors	4	
TWT-PMTZ/P4M-1 Mini-Zap Counter Top 120V / 60Hz Travel Ultraviolet Purifier with Filter	2	
TWT-PMTZ/P4M-2 Mini-Zap Counter Top 230V / 50Hz Travel Ultraviolet Purifier with Filter	2	
TWT-PMTZ/P4E-12 Mini-Zap Counter Top 12V Travel Ultraviolet Purifier with Filter	2	TWT-PMTZ/P4M-1

#### FILTRATION PRODUCTS/UNDER COUNTER FILTER SYSTEM

EIMITION I WODGETS, GROUN COCKIEN I EILEN SISIEM			
TWT-ADWU-S Single Filter with chrome spout, J.Guest connectors, and mounting bracket	2		
TWT-ADWU-D Dual Filter with chrome spout, J.Guest connectors, and mounting bracket	2	TWT-ADOW-S	
TWT-ADWU-DM Dual Filter with Meter Valve, chrome spout, J.Guest connectors, and mounting bracket	2		
TWT-ADWU-T Triple Filter chrome spout, J.Guest connectors, and mounting bracket	2	TWT-ADOW-DM	
TWT-ADWU-TM Triple Filter with Meter Valve, chrome spout, J.Guest connectors, and mounting bracket	2		

TWT-ADOW-TM



#### METER VALVES/AUTOMATIC SHUT-OFF FOR FILTER SYSTEMS

ITEM NUMBER	PRODUCT DESCRIPTION:	CASE/PACK
WM2000B	Black 1800 gal, Jaco fitting, 1/4" MNPT	6
WM2000W	White 1800 gal, Jaco fitting, 1/4" MNPT	6
WM3000B	Black 3800 gal, Jaco fitting, 1/4" MNPT	6
WM3000W	White 3800 gal, Jaco fitting, 1/4" MNPT	6
WM3001B	Black 15,000 L, Jaco fitting, 1/4" MNPT	6
WM2001B	Black 7,000 L, Jaco fitting, 1/4" MNPT	6
WM2000HCW	White 1800 gal, John Guest connectors, 1/4"	6
WM2000HCB	Black 1800 gal, John Guest connectors, 1/4"	6
DIGITAL FLOW ME	ETER VALVES	
TWT-FPDM-100	With Audible Alarm to indicate cartridge replacement	2
TWT-FPDM-200	With Audible Alarm to indicate cartridge replacement	2
TWT-FPDM-210	With Audible Alarm to indicate cartridge replacement	2
MOUNTING BRAC	KETS	
TWT-FM20	Mounting bracket for single filter housing	6
TWT-FM30	Mounting bracket for double filter housing	6
TWT-FM50	Mounting bracket for triple filter housing	6
Larger sizes availa	ble upon request	
HOUSING WRENCE	HES	
TWT-FHR-10	10"Filter Housing Wrench	6
TWT-FHR-20	20"Filter Housing Wrench	6
FEED WATER SAD	DLE VALVE	
TWT-SV-1	1/2" MNPT x 1/2" FNPT x 1/4" compression	6
TWT-SV-2	3/8" MNPT x 3/8" FNPT x 1/4" compression	6

## **FILTER SYSTEM ACCESSORIES**

Larger sizes available upon request

Quote: Order based on price of material at time of purchase

#### **COUNTER TOP SYSTEM REPLACEMENT PRODUCTS**

ITEM NUMBER	PRODUCT DESCRIPTION:	CASE/PACK
TWT-MZR-KIT	One Mini-Zap Replacement Filter One Mini-Zap Replacement UV Lamp	2



<b>UNDER COUNTER</b>	R SYSTEM REPLACEMENT PRODUCTS		
TWT-UCR-1S GAC-10N/KDF	(Single Units) Dual media KDF-55/Granular Activated Carbon Replacement Filters (single pack=1 filter)	2	
TWT-UCR-2D GAC-10N/KDF 155109	(Double Units) Dual media KDF-55/Granular Activated Carbon Carbon Block Replacement Filters (double pack=2 filters)	2	
TWT-UCR-3T 155103 GAC-10N/KDF 155109	(Triple Units) Sediment Filter Cartridge Dual media KDF-55/Granular Activated Carbon Carbon Block Replacement Filters (triple pack=3 filters)	2	





1

#### FILTRATION PRODUCTS/WHOLE HOUSE WATER FILTER

ITEM NUMBER & CASE PRODUCT DESCRIPTION: PACK

**TWT-WF** 

Chemical-Free Whole House Water Treatment System

Upgrades for commercial needs available upon request



#### FILTRATION PRODUCTS/RUST ERASE IRON FILTER

#### TWT-RE-12

Rust-Erase Iron Filtration System up to 12 ppm 1



#### TWT-RE-30

Rust-Erase Iron Filtration System up to 30 ppm 1

#### TWT-RE-50

Rust-Erase Iron Filtration System up to 50 ppm

TWT-RE-30 / TWT-RE-50— These systems are similar in appearance but have different capacities



#### TWT-RE-30C\*

Rust-Erase Iron Filtration System up to 30 ppm



\*Indicates Chrome Jacket

Quote: Order based on price of material at time of purchase