

PRODUCT LIST NUMBERS & DESCRIPTION

ULTRA-VIOLET DISINFECTION/PURIFICATION SYSTEM with Filtration P.O.U.

ITEM NUMBER & PRODUCT DESCRIPTION:	FILTER SPECS	See Section B-3 & 4 of catalog for Additional Technical Information	
		PRODUCT DIMENSIONS	APPROX SHIP WEIGHT
TWT-SYS4/QS4M-1 (GPM 1-2) Ultra Violet Dual Media Under Counter Water Filtration System 120V / 60 Hz Point-of-Use Ultraviolet 10" Sediment Purifier Filter – 10" carbon Block	Sed-5M Carb-0.5M	13"W x 15" H x 6 1/2"	10 lbs
TWT-SYS4/QS4M-2 (GPM 1-2) 230V / 60 Hz Point-of-Use Ultraviolet Purifier –10" Sediment Filter 10" carbon Block	Sed-5M Carb-0.5M	13"W x 15" H x 6 1/2"	10 lbs
TWT-SYS4/QS4E-12 (GPM 1-2) 12V Point-of-Use Ultraviolet Purifier 10" Sediment Filter 10" Carbon Block	Sed-5M Carb-0.5M	13"W x 15" H x 6 1/2"	10 lbs
TWT-SYS4/QS4E-24 (GPM 1-2) 24V Point-of-Use Ultraviolet Purifier 10" Sediment Filter 10" Carbon Block	Sed-5M Carb-0.5M	13"W x 15" H x 6 1/2"	10 lbs



Ultra Violet Dual Media Under Counter
Water Filtration System

ITEM NUMBER & PRODUCT DESCRIPTION:	FILTER SPECS	PRODUCT DIMENSIONS	APPROX SHIP WEIGHT
TWT-SYS43/QS43M-1 (GPM 1-2) Ultra Violet Triple Media Under Counter Water Filtration System 120V / 60 Hz Point-of-Use Ultraviolet Purifier/10" Sediment Filter 10" Carbon Block/ 10" GAC	Sed-5M Carb-0.5M GAC	15 3/4"L x 14 1/2"H x 5 3/8"D	14 lbs
TWT-SYS43/QS43M-2 230V / 60 Hz Point-of-Use Ultraviolet Purifier 10" Sediment Filter 10" Carbon Block / 10" GAC	Sed-5M Carb-0.5M GAC	15 3/4"L x 14 1/2"H x 5 3/8"D	14 lbs
TWT-SYS43/QS43E-12 12V Point-of-Use Ultraviolet Purifier 10" Sediment Filter / 10" Carbon Block 10" GAC	Sed-5M Carb-0.5M GAC	15 3/4"L x 14 1/2"H x 5 3/8"D	14 lbs
TWT-SYS43/QS43E-24 24V Point-of-Use Ultraviolet Purifier 10" Sediment Filter Carbon Block 10" GAC	Sed-5M Carb-0.5M GAC	15 3/4"L x 14 1/2"H x 5 3/8"D	14 lbs



ULTRA-VIOLET DISINFECTION/PURIFICATION SYSTEM with Filtration P.O.U.

See Section B-3 & 4 of catalog (home page) for Additional Technical Information

**ITEM NUMBER &
PRODUCT DESCRIPTION:****FILTER
SPECS****PRODUCT
DIMENSIONS****APPROX SHIP
WEIGHT****TWT-SYS250-FSUV (4 GPM)**Residential/ Commercial P.O.E.
UV Disinfection/Filtration System
Purifier Combined as a Unit
for 1/2" or 3/4" PipesSed-5M
Carb-10M

17"W x 26"H x 6 1/2"D

16 lbs

120V / 60 Hz other current
source available upon request**TWT-SYS700-FSUV (8 GPM)****Filter Set with UV Purifier**Residential/ Commercial P.O.E.
UV Disinfection/Filtration System
Purifier Combined as a Unit
for 3/4" or 1" PipesSed-5M
Carb-10M

17"W x 26"H x 6 1/2"D

18 lbs

120V / 60 Hz other current
source available upon request**TWT-SYS700-FS –Filter Set**Filter Specs: Sed-5M/Carb -10M
complete with filter housings, mounting
bracket,wrench and 20" sediment filter
and 20" carbon filter-3/4" in-out–
pressure testedSed-5M
Carb-10M

11"W x 25"H x 5 3/4"

13 lbs

**TWT-SYS1200-FSUV (12 GPM)****Filter Set with UV Purifier**Residential/ Commercial P.O.E.
UV Disinfection/Filtration System
Purifier Combined as a Unit
for 1" to 1 1/2" PipesSed-5M
Carb-10M

20"W x 52"H x 8"D

33 lbs

120V / 60 Hz other current
source available upon request

FILTER SETS WITH UV PURIFIERS P.O.E.

See Section B-3 of catalog (home page) for Additional Technical Information

ITEM NUMBER &
PRODUCT DESCRIPTION:FILTER
SPECSPRODUCT
DIMENSIONSAPPROX SHIP
WEIGHT**TWT-SYS1200-FS –Filter Set**

Filter Specs: Sed-5M/Carb -10M
Filter Set - complete with filter housings,
mounting bracket, wrench and 20"
sediment filter and 20" carbon filter-1"
in-out–pressure tested

Sed-5M
Carb-10M

14 1/2"W" x 29"H x 8"D`

22 lbs

**TWT-SYS1500-FSUV (GPM 15)
Filter Set with UV Purifier**


Residential/ Commercial P.O.E.
UV Disinfection/Filtration System
Purifier Combined as a Unit
for 1" to 1 1/2" Pipes

Sed-5M
Carb-10M

20"W x 52"H x 8"D

33 lbs

120V / 60 Hz other current
source available upon request


**TWT-SYS1500-FS–Filter Set Only**

Filter Specs: Sed-5M/Carb -10M Filter Set -
complete with filter housings, mounting
bracket, wrench and 20" sediment filter
and 20" carbon filter-1 1/2" BB in-out–
pressure tested

Sed-5M
Carb-10M

14 1/2" W" x 29"H x 8"D"

22 lbs

**TWT-SYS3000-FSUV (GPM 30)
Filter Set with UV Purifier**

Residential/ Commercial P.O.E
UV Disinfection/Filtration System
Purifier Combined as a Unit
for 1 1/2" Pipes

Sed-5M
Carb-10M

21"W x 52"H x 8"D"

33 lbs.

120V / 60 Hz other current
source available upon request



FILTER SETS WITH UV PURIFIERS P.O.E.

See Section B-3 of catalog (home page) for Additional Technical Information

ITEM NUMBER & PRODUCT DESCRIPTION:	FILTER SPECS	PRODUCT DIMENSIONS	APPROX SHIP WEIGHT
---------------------------------------	-----------------	-----------------------	-----------------------

TWT-SYS3000-FS—Filter Set Only14 $\frac{1}{2}$ "W x 29"H x 8"D

22 lbs

Filter Specs: Sed-5M/Carb -10M Filter Set - complete with filter housings, mounting bracket, wrench and 20" sediment filter and 20" carbon filter- 1-1/2" BB in-out—pressure tested

**TWT-SYS5000—50 GPM**


Custom System Quote

TBD*

21"W x 52"H x 8"D

38 lbs

120V / 60 Hz other current source available upon request

**TWT-SYS6000—100 GPM**

Custom System Quote

TBD*

21"W x 52"H x 8"D

42 lbs

Filtration and UV system integrated based on application requirements at time of purchase

TWT-SYS5007—200 GPM

Custom System Quote

TBD*

System Dependent

Filtration and UV system integrated based on application requirements at time of purchase

*To be determined based on system requirements

Stand alone products, integrated according to GPM and filter capacity requirements

OZONE SYSTEMS and COMPONENTS

Ozone is a natural purifier, meaning no harmful chemical or by-products are created during purification

TWT-15-SW-400

Ozone Generator 0.4 grams/hr. 120V / 60Hz 13" x 13" x 4 $\frac{1}{2}$ " 8 lbs

TWT-15-SW-400-2

Ozone Generator 0.4 grams/hr. 230V / 50Hz 13" x 13" x 4 $\frac{1}{2}$ " 8 lbs

TWT-15-SW-800-1

Ozone Generator 0.8 grams/hr. 120V / 60Hz 15" x 15" x 6" 10 lbs

TWT-15-SW-800-2

Ozone Generator 0.8 grams/hr. 230V / 50Hz 15" x 15" x 6" 10 lbs



OZONE SYSTEMS and COMPONENTS


See Section B-3 of catalog (home page) for Additional Technical Information

ITEM NUMBER &
PRODUCT DESCRIPTION:PRODUCT
DIMENSIONSAPPROX SHIP
WEIGHT**TWT-OZ-SB038 Ozone & Venturi**

Ozone Generator 0.38 grams/hr.
Ozone Generated by: 185 Nm UV lamp
110/20 VAC or 230 VAC

 $2 \frac{3}{8}'' \times 4 \frac{3}{4}'' \times 12 \frac{1}{4}''$ 3 $\frac{1}{2}$ lbs

Venturi—Must Specify Size With P.O.
1/2" Venturi Injector or 1" Venturi Injector

**TWT-15-SVD1-1**

Vacuum Drier – One-Tube 120V / 60Hz (for SW-400)

6" x 14" x 4 $\frac{1}{2}$ "

4 lbs

TWT-15-SVD1-2

Vacuum Drier – One-Tube 230V / 50Hz (for SW-400)

6" x 14" x 4 $\frac{1}{2}$ "

4 lbs

TWT-15-SVD2-1

Vacuum Drier – Two-Tube 120V / 60Hz (for SW-800)

13" x 6" x 15"

10 lbs

TWT-15-SVD2-2

Vacuum Drier – Two-Tube 230V / 50Hz (for SW-800)

13" x 6" x 15"

10 lbs

**TWT-VI-50**

Venturi Injector 1/2"

BOV

TWT-VI-100

Venturi Injector 1"

BOV

Higher capacity systems available upon request



TRANSPORTABLE WATER TREATMENT SYSTEMS WITH MULTI-STAGE MICRO-FILTRATION, DEPOSIT CONTROL AND ULTRA-VIOLET DISINFECTION

See Section B-4 of catalog (home page) for Additional Technical Information

Safe drinking water anywhere...any time!

ITEM NUMBER & PRODUCT DESCRIPTION:	GPM	PRODUCT DIMENSIONS	APPROX WEIGHT
TWT-UV-20 Disinfection System	20	*	TBD
TWT-UV-40 Complete Disinfection System	40	*	TBD
TWT-UV-60 Complete Disinfection System	60	*	TBD
TWT-UV-75 Complete Disinfection System	75	*	TBD
TWT-UV-200 Complete Disinfection System	200	*	TBD



TWT-UV-60



TWT-UV-200

Component List

- | | |
|---|---------------------------------------|
| 1. Stainless Steel Base Skid | 6. One #90 Hurricane 5 micron filter |
| 2. One H.P. pump with a 50 ft.Head, self priming | 7. One #90 Hurricane 1 micron filter |
| 3. One strainer basket | 8. One UV 5000 disinfection subsystem |
| 4. Two 10 micron bag filters | 9. One chlorine injector (optional) |
| 5. One stainless steel 30" carbon filter | 10.TWT deposit control subsystem |
| or One 40" stainless steel carbon filter for UV 40/60 | |

Skid Size:

Skid size is approximately 48"X66" crated, and ready to hook onto inlet and outlet with quick connect couplings. Unit is crated to fit into the airplane cargo compartment.The TWT-UV-40 (40 GPM), TWT-UV-60 (60 GPM), TWT-UV-75 (75 GPM), TWT-UV-220 (200 GPM) are the same in operation, just proportionally larger.

Custom Installation: Pricing to be established based upon proposal submitted at time of sale based on materials cost at time of purchase

Pricing case by case, must take into consideration:

- Shipping/Handling/Insurance • Installation/Cost (time frame) • Additional equipment needs (reinstallation)
- Any additional charges (redistribution point) • Consulting time, etc.a

*Custom built, size and weight to be determined at time of purchase

FILTRATION PRODUCTS/10" FILTER HOUSINGS for 9³/₄" & 9⁷/₈" REPLACEMENT CARTRIDGES*See Section B-2 of catalog (home page) for Additional Technical Information*

ITEM NUMBER & PRODUCT DESCRIPTION:	PRODUCT DIMENSIONS	APPROX SHIP WEIGHT
TWT-FH4200WW14	10" White Filter Housing for 1/4" pipe size	BOV
TWT-FH4200WW38	10" White Filter Housing for 3/8" pipe size	BOV
TWT-FH4200WW12	10" White Filter Housing for 1/2" pipe size	BOV
TWT-FH4200WW34	10" White Filter Housing for 3/4" pipe size	BOV
TWT-FH5000BL34PR	10" Blue Filter Housing for 3/4" pipe size with Pressure Release Valve	BOV
TWT-FH5000BL1PR	10" Blue Filter Housing for 1" pipe size with Pressure Release Valve	BOV
TWT-FH5000BL15PR	10" Blue Filter Housing for 1-1/2" pipe size with Pressure Release Valve	BOV

FILTRATION PRODUCTS/20" FILTER HOUSINGS for 20" X 4-1/2" OD CARTRIDGES

TWT-FH10000BL34PR	20" Blue Filter Housing for 3/4" pipe size with Pressure Release Valve	BOV
TWT-FH5000BL1PR	20" Blue Filter Housing for 1" pipe size with Pressure Release Valve	BOV
TWT-FH5000BL15PR	20" Blue Filter Housing for 1-1/2" pipe size with Pressure Release Valve	BOV

FILTRATION PRODUCTS/JUMBO FILTER HOUSINGS

TWT-FMJCH40	50 GPM single cartridge, jumbo filter housings in 316 stainless steel	31 lbs
TWT-FMJCH90	100 GPM single cartridge, jumbo filter housings in 316 stainless steel	56 lbs
TWT-FMJCH170	150 GPM single cartridge, jumbo filter housings in 316 stainless steel	62 lbs

FILTRATION PRODUCTS/JUMBO FILTER & HURRICANE HOUSINGS REPLACEMENTS

TWT-FMHC-40-5	5 micron pleated cartridges for FMJCH40 Carton Size 10" x 10" x 12"	3 lbs
TWT-FMHC-90-5	5 micron pleated cartridges for FMJCH90 Carton Size 8" x 8" x 20"	5 LBS
TWT-FMHC-170-5	5 micron pleated cartridges for FMJCH170 Carton Size 8" x 8" x 31"	14 lbs

Pleated: Washable and reusable for sediment reduction/removal**FILTRATION PRODUCTS/REPLACEMENT BAG FILTERS**

TWT-RBF-05	5 Micron bag filters	BOV
TWT-RBF-10	10 Micron bag filters	BOV
TWT-RBF-20	20 Micron bag filters	BOV
TWT-RBF-50	50 Micron bag filters	BOV
TWT-RBF-100	100 Micron bag filters	BOV

Other Micronic sizes available upon request

BOV: Based on volume, shipping weight, and other related products ordered to be packed at time of purchase

FILTRATION PRODUCTS/REPLACEMENT FILTER CARTRIDGES

See Section B-2 of catalog (home page) for Additional Technical Information

ITEM# NUMBER	PRODUCT DESCRIPTION	MICRON	HOUSING	APPROX SHIP WEIGHT
TWT-155169	Solid Block	0.5	10"	BOV
TWT-155634	Solid Block	10	10"	BOV
TWT-155783	Solid Block	10	20" Big Blue	BOV
TWT-155635	Solid Block	10	20" Slim Line	BOV

Solid Block: Activated carbon for taste, lead, odor, chlorine and organic chemical reduction/removal

TWT-155182	Pleated Sediment	5	10"	BOV
TWT-155103	Pleated Sediment	10	10"	BOV
TWT-155420	Pleated Sediment	5	20" Big Blue	BOV
TWT-155305	Pleated Sediment	20	20" Big Blue	BOV
TWT-155414	Pleated Sediment	5	20" Slim Line	BOV
TWT-155303	Pleated Sediment	20	20" Slim Line	BOV

Pleated: Washable and reusable for sediment reduction/removal

TWT-155382	Pleated Carbon	10	20" Big Blue	BOV
----------------------------	----------------	----	--------------	-----

Pleated Carbon: Taste, odor, chlorine and organic chemical reduction/removal

TWT-155109	GAC	N/A	10"	BOV
TWT-155249	GAC	N/A	20" Big Blue	BOV
TWT-155111	GAC	N/A	20" Slim Line	BOV

GAC: Granulated activated carbon for taste, odor, organic chemicals and chlorine reduction/removal

TWT-GAC10M/KDF	GAC/KDF	N/A	10"	BOV
--------------------------------	---------	-----	-----	-----

GAC/KDF-55: Granulated activated carbon with KDF-55, specially formulated copper/zinc alloy media designed to remove chlorine, lead, volatile organic chemicals, hydrogen sulfide, sulfur, herbicides, pesticides, chemical fertilizer residues and trihalomethanes

TWT-MZRFC	Mini-Zap Replacement Filter Cartridge			BOV
---------------------------	--	--	--	-----

The above replacement filter cartridges are used in TWT Counter Top, Under Counter, P.O.E., P.O.U. and Integrated All-In-One Treatment Systems. Refer to Specific product sheet (catalog or website) for correct replacement filter cartridges needed.

If fluid conditions require different media and/or additional micronic particle trapping for enhanced results, filters are available in various capacities providing flexibility & adaptability to meet the needs of all fluid conditions & applications. Contact your dealer or TWT, Inc. for additional information.

Product numbers may change, micron size, filter medium must be indicated on purchase order

Note: Filter Housing, Filter Replacement Cartridges, and In-Line Filters if not listed, are available upon request



FILTRATION PRODUCTS/ICE MAKER FILTERS

See Section B-2 of catalog (home page) for Additional Technical Information

ITEM NUMBER &
PRODUCT DESCRIPTION:PRODUCT
DIMENSIONSAPPROX
WEIGHT

TWT-AICRO

In-Line activated carbon cartridge,
with 1/4" FNPT fittings

2" x 10"

BOV



Solid Block: Activated carbon for taste,
lead, odor, chlorine and organic chemical
reduction/removal

FILTRATION PRODUCTS/RESIDENTIAL REVERSE OSMOSIS SYSTEMS

Reverse osmosis systems include membrane separation, activated carbon absorption and conventional, filtration to reduce the entire spectrum of contaminant's that can be found in water. RO systems substantially remove heavy metals, such as barium, cadmium, chromium, lead and mercury; radium 226 / 228 selenium, cysts, chlorine, salts, turbidity and more.

TWT-FMRO4J

Dual Media Under Counter Reverse Osmosis
4 stage, 50 GPD, jaco fittings, 1/4" tubing,
chrome, lead-free faucet

21" x 16" x 16"

25 lbs

TWT-FMRO4G



TWT-FMRO4G

4 stage, 50 GPD, John Guest fittings, 3/8"
tubing from tank to faucet, lead-free faucet

21" x 16" x 16"

25 lbs

TWT-FMR05GP

5 stage, 50 GPD, John Guest fittings, 3/8"
tubing from tank to faucet, lead-free faucet
with Aquatic CDP-6800 booster pump

21" x 16" x 16"

28 lbs

These systems are similar in appearance
but have different capacities

**REPLACEMENT FILTER KITS
AVAILABLE**

FILTRATION PRODUCTS/COMMERCIAL/INDUSTRIAL REVERSE OSMOSIS SYSTEMS

TWT-RO300G-FL

300 GPD, 3/4" FNPT, 2.5" X 21" membrane

*

70 lbs

TWT-RO500G-FL

500 GPD, 3/4" FNPT, 2.5" X 21" membrane

*

80 lbs

TWT-RO1000G-FL

1,000 GPD, 3/4" FNPT, 4" X 21" membrane

*

104 lbs

Larger volume systems available upon request


TWT recommends that filters be purchased in sets of two in order to ensure uninterrupted fluid treatment

Reverse Osmosis: Removes the entire spectrum of drinking water contaminant's

If your application requirements are not listed, contact TWT® Inc. directly for further product information

*Custom built, size and to be determined at time of purchase

Note: Larger size reaction chambers and material available upon request



TWT-RO300G-FL

These systems are
similar in appearance but
have different capacities

**REPLACEMENT FILTER
KITS AVAILABLE**

UNIVERSAL SHOWER FILTERED PRODUCTS

See Section C-3 of catalog (home page) for Additional Technical Information

Universal shower filtering technology offers exclusive shower filtration media containing... chlorgon & KDF—The only non-carbon filtering media to remove: Free chlorine (Cl⁻), combined

chlorine (sodium hypochlorite), hydrogen sulfide (rotten egg smell), iron oxide (rust water), dirt, sediment, odors. Plus, its pH balanced.

**ITEM NUMBER &
PRODUCT DESCRIPTION:**

**PRODUCT
DIMENSIONS**

**APPROX SHIP
WEIGHT**

TWT-SL-WH-M

Slim-Line White Massage Shower Filter with Filter Cartridge

7" x 4" x 4/3

1 1/4 lbs



TWT-SL-CM-M

Slim-Line Chrome Massage Shower Filter with Filter Cartridge

7" x 4" x 4/3

1 1/4 lbs



TWT-SL-GD-M

Slim-Line Gold Massage Shower Filter with Filter Cartridge

7" x 4" x 4/3

1 1/4 lbs



TWT-HO-WH-M

High-Output White Shower Head with Filter Cartridge

8" x 4" x 4/4

1 3/4 lbs




TWT-HO-CM-M

High-Output Chrome Shower Head with Filter Cartridge

8" x 4" x 4/4

1 3/4 lbs



TWT-GD-WH-M

High-Output Gold Shower Head with Filter Cartridge

8" x 4" x 4/4

1 3/4 lbs



UNIVERSAL SHOWER FILTERED PRODUCTS

See Section C-3 of catalog (home page) for Additional Technical Information

ITEM NUMBER &
PRODUCT DESCRIPTION:PRODUCT
DIMENSIONSAPPROX SHIP
WEIGHT**TWT-APS3-CT**Prestige All-in-One Filtered Shower
Head / Chrome trim with Filter Cartridge

6" x 4" x 4/2

1 3/4 lbs

**TWT-APS3-GT**Prestige All-in-One Filtered Shower
Head / Gold trim with Filter Cartridge

6" x 4" x 4/2

1 3/4 lbs




UNIVERSAL SHOWER FILTERED HANDLES

ITEM NUMBER &
PRODUCT DESCRIPTION:PRODUCT
DIMENSIONSAPPROX SHIP
WEIGHT**TWT-HH-CT**Universal Shower Handle / Chrome Trim
with Filter Cartridge


10" x 7" x 3"

2 lbs

**TWT-HH-CM**Universal Shower Handle / All Chrome
with Filter Cartridge


10" x 7" x 3"

2 lbs

**TWT-HH-GD**Universal Shower Handle / all Gold
with Filter Cartridge

10" x 7" x 3"

2 lbs

**TWT-HF-CM**Shower Handle Hose Filter / Chrome
with Filter Cartridge

10" x 2" x 2"

1 1/4 lbs

**TWT-HF-GD**Shower Handle Hose Filter / Gold
with Filter Cartridge

10" x 2" x 2"

1 1/4 lbs




REPLACEMENT FILTER CARTRIDGES

See Section C-3 of catalog (home page) for Additional Technical Information

ITEM NUMBER &
PRODUCT DESCRIPTION:PRODUCT
DIMENSIONSAPPROX SHIP
WEIGHT**TWT-SLC**Slim-Line Replacement Cartridge
(cartridge life cycle 6 months)


4" x 4" x 2/1

 $\frac{3}{4}$ lbs**TWT-HOC**High-Output Replacement Cartridge
(cartridge life cycle 1year)


4" x 3" x 3/2

1 $\frac{1}{4}$ lbs**TWT-HOC**Prestige Replacement Cartridge
(cartridge life cycle 6 months)

4" x 3" x 3/2

1 $\frac{1}{4}$ lbs**TWT-HHC-2**Shower Handle Replacement Cartridge
2 Pack (cartridge life cycle 3 month each)

6" x 2" x 2/1

1 $\frac{1}{2}$ lbs**TWT-HHC-2**Shower Handle Hose Filter Replacement
Cartridge 2 Pack (cartridge life cycle
3 month each)

6" x 2" x 2/1

1 $\frac{1}{2}$ lbs

POINT-OF-USE FILTRATION PRODUCTS/COUNTER TOP FILTER SYSTEMS

See Section C-3 of catalog (home page) for Additional Technical Information

**ITEM NUMBER &
PRODUCT DESCRIPTION:****PRODUCT
DIMENSIONS****APPROX SHIP
WEIGHT****TWT-CT-MW**TWT® Counter Top Filter System with
with audible alarm for cartridge replacement

7" x 8" x 13"

4 lbs

See page 46 replacement filters

**TWT-CT-C**TWT® Counter Top Filter System with
chrome spout & John Guest connectors

7" x 8" x 13"

4 lbs

See page 46 replacement filters

**TWT-PMTZ/P4M-1**Mini-Zap Counter Top 120V / 60Hz
Travel Ultraviolet Purifier with Filter

10" x 5" x 2.5"

3 lbs

See page 46 replacement filters

TWT-PMTZ/P4M-2Mini-Zap Counter Top 230V / 50Hz
Travel Ultraviolet Purifier with Filter

10" x 5" x 2.5"

3 lbs

See page 46 replacement filters

TWT-PMTZ/P4E-12Mini-Zap Counter Top 12V
Travel Ultraviolet Purifier with Filter

10" x 5" x 2.5"

3 lbs

See page 46 replacement filters



TWT-PMTZ/P4M-1

DISCOUNTS: Available upon request for volume purchasers on a case by case basis

FILTRATION PRODUCTS/UNDER COUNTER FILTER SYSTEM

See Section C-3 of catalog (home page) for Additional Technical Information

**ITEM NUMBER &
PRODUCT DESCRIPTION:****PRODUCT
DIMENSIONS****APPROX SHIP
WEIGHT****TWT-ADWU-S** (Ideal for Kitchens, Bath Rooms)

Single Filter System Features Dual Media KDF-55 and Granular Activated carbon with chrome spout, J.Guest connectors, and mounting bracket

6" x 8" x 14"

3 lbs



TWT-ADWU-S


See page 46 replacement filters

TWT-ADWU-D

Dual Filter Multi Media Under Counter water Filtration System with chrome spout, J.Guest connectors, and mounting bracket

11" x 6" x 15"

7 lbs



TWT-ADWU-D

TWT-ADWU-DM

Dual Filter Media Under Counter Water Filtration System with Meter Valve, chrome spout, J.Guest connectors, and mounting bracket

11" x 6" x 15"

7 lbs



TWT-ADWU-DM

See page 46 replacement filters

TWT-ADWU-T

Triple Filter High Capacity Under Counter with chrome spout, J.Guest connectors, and mounting bracket

17" x 6" x 15"

9 lbs



TWT-ADWU-T

TWT-ADWU-TM

Triple Filter High Capacity Under Counter with Meter Valve, chrome spout, J.Guest connectors, and mounting bracket

See page 46 replacement filters



TWT-ADWU-TM

METER VALVES/AUTOMATIC SHUT-OFF FOR FILTER SYSTEMS

See Section C-2 of catalog (home page) for Additional Technical Information

**ITEM NUMBER &
PRODUCT DESCRIPTION:****PRODUCT
DIMENSIONS****APPROX SHIP
WEIGHT****TWT-UCVCM-01**

P.O.E./P.O.U. filter system with battery powered indicator lights to alert you when filters/batteries need to be replaced

13" X 11" X 4 1/2"

See page 61 for
filter replacement

See page 46 replacement filters

**ITEM NUMBER &
PRODUCT DESCRIPTION:****FILTER SYSTEM ACCESSORIES****APPROX SHIP
WEIGHT**

WM2000B	Black 1800 gal, Jaco fitting, 1/4" MNPT	BOV
WM2000W	White 1800 gal, Jaco fitting, 1/4" MNPT	BOV
WM3000B	Black 3800 gal, Jaco fitting, 1/4" MNPT	BOV
WM3000W	White 3800 gal, Jaco fitting, 1/4" MNPT	BOV
WM3001B	Black 15,000 L, Jaco fitting, 1/4" MNPT	BOV
WM2001B	Black 7,000 L, Jaco fitting, 1/4" MNPT	BOV
WM2000HCW	White 1800 gal, John Guest connectors, 1/4"	BOV
WM2000HCB	Black 1800 gal, John Guest connectors, 1/4"	BOV

DIGITAL FLOW METER VALVES

TWT-FPDM-100	With Audible Alarm to indicate cartridge replacement	BOV
TWT-FPDM-200	With Audible Alarm to indicate cartridge replacement	BOV
TWT-FPDM-210	With Audible Alarm to indicate cartridge replacement	BOV

MOUNTING BRACKETS

TWT-FM20	Mounting bracket for single filter housing	BOV
TWT-FM30	Mounting bracket for double filter housing	BOV
TWT-FM50	Mounting bracket for triple filter housing	BOV

Larger sizes available upon request

HOUSING WRENCHES

TWT-FHR-10	10" Filter Housing Wrench	BOV
TWT-FHR-20	20" Filter Housing Wrench	BOV

FEED WATER SADDLE VALVE

TWT-SV-1	1/2" MNPT x 1/2" FNPT x 1/4" compression	BOV
TWT-SV-2	3/8" MNPT x 3/8" FNPT x 1/4" compression	BOV

Larger sizes available upon request

BOV: Based on volume, shipping weight, and other related products ordered to be packed at time of purchase

COUNTER TOP SYSTEM REPLACEMENT PRODUCTS

See Section C-3 of catalog for Additional Technical Information

**ITEM NUMBER &
PRODUCT DESCRIPTION:****PRODUCT
DIMENSIONS****APPROX SHIP
WEIGHT****TWT-MZR-KIT**One Mini-Zap Replacement Filter
One Mini-Zap Replacement UV Lamp

2 lbs

**UNDER COUNTER SYSTEM REPLACEMENT PRODUCTS****TWT-UCR-1S** (Single Units)**GAC-10N/KDF**Dual media KDF-55/Granular Activated Carbon
Replacement Filters (single pack=1 filter)

2 1/2" x 9 7/8"

6 oz

TWT-UCR-2D (Double Units)**GAC-10N/KDF****155109**Dual media KDF-55/Granular Activated Carbon
Carbon Block Replacement Filters
(double pack=2 filters)

2 1/2" x 9 7/8"

1.6 lbs

TWT-UCR-3T (Triple Units)**155103****GAC-10N/KDF****155109**Sediment Filter Cartridge
Dual media KDF-55/Granular Activated Carbon
Carbon Block Replacement Filters
(triple pack=3 filters)

2 1/2" x 9 7/8"

3.6 lbs

**Replacement cartridges for TWT-UCVCM-01**

2 1/2" x 9 7/8"

1.6 lbs

TWT-CF2-VCI

(double pack=2 filters)


Rated Service Flow – 0.75 gpm

Approx Life Time – 4-6 months

**Replacement Cartridges for
TWT-POUS-300 / POUE-400 / POEPOUV-600**

10"

(will vary based on filters used)

TWT-BB10S–Sediment:**TWT-BB10R–Resin:****TWT-BB10C–Carbon:****TWT-BB10K–GAC/KDF-55:**

FILTRATION PRODUCTS/WHOLE HOUSE WATER FILTER*See Section C-3 of catalog (home page) for Additional Technical Information***ITEM NUMBER &
PRODUCT DESCRIPTION:****PRODUCT
DIMENSIONS****APPROX SHIP
WEIGHT****TWT-WF**Chemical-Free Whole House Water
Treatment System


63" x 12"

100 lbs

Upgrades for commercial needs
available upon request**FILTRATION PRODUCTS/RUST ERASE IRON FILTER**Designed to Effectively Eliminate Rust and Iron from your Water Supply
Thoroughly and Economically**TWT-RE-12**Rust-Erase Iron Filtration System up to 12 ppm
1" in and out

63"H x 10"D

100 lbs

**TWT-RE-30**Rust-Erase Iron Filtration System up to 30 ppm
1" in and out

52"H x 12"D

80 lbs

TWT-RE-50Rust-Erase Iron Filtration System up to 50 ppm
1" in and out

52"H x 12"D

100 lbs

TWT-RE-30 / TWT-RE-50– These systems are similar in
appearance but have different capacities**TWT-RE-30C***Rust-Erase Iron Filtration System up to 30 ppm
1" in and out

47"H x 10"D

90 lbs

*Indicates Chrome Jacket



It's unwise to pay too much...but it's worse to pay too little. When you pay too much, you lose a little money...that's all. When you pay too little, you sometimes lose everything, because the thing you bought was incapable of doing the thing it was bought to do. The common law of business balance prohibits paying a little and getting a lot...it can't be done. If you deal with the lowest bidder, it is well to add something for the risk you run, and if you do that, you will have enough to pay for something better. How many times have you bought the cheapest and been disappointed when it broke or failed to perform to your expectations? And how many times have you bought the best and been well pleased for a long time?

Triangular Wave Technologies, Inc.
continually provides the greatest values
available in today's market.

Thank You
Look Forward to Being of Service



To find out even more about us, and how we can help you, contact us at:
Email: info@triangularwave.com • triwaveinc@aol.com or
Visit us on our web site: www.Triangularwave.com
